

Global Lighting Systems



DFF-ROAD LIGHTING CATALOG

LIGHTING EVOLVED

TABLE OF CONTENTS

WHY VISION X

p.4-9

LED POD LIGHTS

p.10-23

LED LIGHT BARS

p.24-41

- 6 The Tech
- 8 Choosing Beam Pattern
- 9 Warranty
- 12 ADV Light Cannon
- 14 SAE Street Legal CG2 Light Cannon
- 16 CG2 Light Cannon
- 18 VL-Series Driving Light
- 20 Optimus Halo
- 26 Unite Modular Light Bar
- 30 Shocker X2
- 32 Shocker Dual Action
- 34 XPL SAE Street Legal
- 36 XPL Low Profile
- 38 XPL Curved
- 40 XPR-S Halo Race
- 42 XPR Halo Mixed Beam
- 42 XPR Curved Halo Mixed Beam
- 40 Chaser Bar

LED HEADLIGHTS

p.48-53

50 VX Series Headlights

52 XMC Motorcycle Headlights

LED ROCK LIGHTS

p.54-57

56 Pro Pods

57 Tantrum

LED WORK/AREA LIGHTS

p.58-65

60 Overland Light

62 Duralux

64 VL-Series Light Duty

VEHICLE SPECIFIC

p.66-79

- 68 Jeep Lighting Kits
- 70 Ford Lighting Kits
- 72 Toyota Lighting Kits
- 74 UTV/SXS Lighting Kits
- 76 VX Grilles
- 78 Halogen Sealed Beam & Bulbs

ACCESSORIES

p.80-87

- 82 Covers
- 84 Selective Yellow Lenses
- **85** Wiring Accessories
- 85 Mounting Solutions

NEW | PRODUCTS









DESIGN, MANUFACTURE, AND DELIVER THE ULTIMATE LIGHTING SOLUTION





VISIONXOFFROAD.COM

MINING



VXINDUSTRIAL.COM

COMMERCIAL



VXSTRUCTURAL.COM

MARINE



VXMARITIME.COM

Vision Motor Sports was established in 1997 with the mission to revolutionize the lighting industry. Today, we are doing just that. The Engineering, Product Development and Marketing is conducted from the Vision X USA office located in Auburn, Washington while Vision X Asia is home to the Manufacturing, Testing, and Inventory Logistics departments of Vision X Global Lighting. Today, Vision X has the mission of creating partners around the world to continue developing and marketing the most advanced lighting products in the world.

The key to Vision X's ongoing success, unmatched quality, and performance is our team of world class engineers who have taken outlandish concepts from conception to production. Our engineers are never afraid of reexamining products to find ways to better serve customers. Since its conception, Vision X has listened to the end user and put their ideas into action to further the quality, performance, and functionality of all Vision X products. At Vision X, we are constantly striving to live up to our company motto of "Lighting Evolved."





INGRESS PROTECTION

Products are sprayed from close distances with 80~100 BAR water pressure to verify the ingress protection rating, ensuring they are sealed properly.



LONG TERM DURABILITY

Products are then switched on and off 20,000 times repeatedly to ensure that they remain functional after all testing.



SUBMERSION & AGING

Once products are assembled every product is run through a submersion (water dunk) test, then placed onto an aging rack and powered up for 30 minutes.



POWER INPUT RANGE


All products are put on a digital power meter to test if it is consuming the correct amount of power, checking for any electrical faults.



THERMAL IMPACT

Products are placed in a -40°C chamber for 30 minutes, and then in a 80°C chamber for an additional 30 minutes. Products are then left on for 72 hours.

LIGHTING TECHNOLOGY EXPLAINED



KNOW THE **DIFFERENCE**

Vision X LED Lighting runs at a 6000K temperature for intense, bright white light for maximum visibility and safety. LED Lights do not use a bulb, making them much more durable than other options.

Vision X HID Lighting runs at a 5000k temperature for a super white beam color. HID lights require a bulb, starter and ballast to operate. They have a higher output per wattage than Halogen bulbs.

Vision X offers a number of different Halogen Lighting options. The Tungsten-Halogen series uses an oversized globe and specially engineered filament to enhance light output. Vision X offers many headlight replacements.

THE VISION X DIFFERENCE

Top Binning

Not all LEDs are created equal. Each run of LEDs by the manufacturer is binned to classify the quality within that batch. Vision X uses only top binned LEDs to ensure the highest quality.

High Efficacy

Vision X products are engineered for the highest possible luminus efficacy - the ratio of lumens per watt. Each light is specifically designed to take full advantage of the LED inside it.


Pulse Width Modulation

When enabled, Pulse Width Modulation integrated circuitry flashes the LED faster than the human eye can see for reduced heat, prolonged LED life and dimming capabilities.

Electronic Thermal Management

Integrated Electronic Thermal Management automatically regulates heat levels by engaging ETM to prolong each LEDs lifespan to 50,000 hours.


MEASURING LIGHT OUTPUT




USABLE LIGHT = **DISTANCE**

Usable light is defined as the light that is actually converted for use in forward projecting lighting. Vision X measures this by accounting for effective, rather than raw lumens in our distance calculations. The measurement of distance at which a light achieves one lux is the level of light needed to read a newspaper, also known as Usable Light.

TOTAL LIGHT OUTPUT = LUMENS






RAW LUMENS | VS | **EFFECTIVE LUMENS**

Lumens are a common standard for measuring light output at the source. It is important to know that the lighting source manufacturer rating is only for the light source and does not account for losses due to optical inefficiencies, electrical inefficiencies, or heat. The sheer output of the light source is not enough to capture the whole story. When rating the effective output of a light source, the light lost as heat, in optical light spray, and electrical inefficiency must also be accounted for as each of these reduce the total usable lumens. Through the use of top binned LEDs, pulse width modulation, and electronic thermal management, Vision X Lights effectively produce the highest lumens per watt.

CHOOSING THE RIGHT BEAM



EXTREME / SPOT BEAM

Longest distance beam with the smallest spread that is ideal at high speeds. Vision X lights with a spot beam will be equipped with our Iris Reflector Technology.

BROAD SPOT BEAM

Great distance beam with a moderate amount of spread. Broad spot beam pattern Vision X lights use multiple 10° optics or Iris Reflectors that are specifically arranged to still provide a large amount of distance with the added benefit of spread.

COMBO / DRIVING BEAM

Added peripheral illumination with the benefit of distance and spread. Similar to the broad spot beam, Vision X lights that produce a combo/mixed beam are equipped with multiple optics with varying degrees that angle light outward towards the side of your vehicle but still maintain distance and spread.

ELLIPTICAL / FOG BEAM

Flat forward spread that keeps low to the ground . This unique pattern is perfect for on-road use and is projected using a special optic type that is specifically engineered to keep the light low the ground as to not blind oncoming vehicles.

FLOOD / WIDE FLOOD BEAM

Largest spread with the shortest distance. Vision X Lights with a flood beam will use multiple wide angle optics (40°,60°,90°) to produce a wide spread beam that is ideal for work area and scene lighting.

INCLUDED WITH EACH LIGHT



LIMITED LIFETIME WARRANTY POLICY

- 1. Proof of purchase is required to validate warranty and is valid from the original date of purchase. All products must be bought through a Vision X Authorized Dealer or one of their dealers/resellers.
- 2. Improper installation, accident, physical damage, neglect, and normal wear are not covered under warranty.
- 3. Cutting the deutsch connector automatically voids the warranty.
- 4. Lights operated in environments over 150° Fahrenheit are not covered under warranty.
- 5. Warrantied items will be repaired to working condition and returned without cosmetic alterations.
- 6. Warranties should be handled through the dealer/reseller the product was purchased from; customer is responsible for delivery to Vision X Returns in Washington.
- 7. If product is not under warranty, customers will be responsible for return shipping charges.
- 8. Additionally, non-warranted items can be repaired at the customer's expense of parts and labor, at the discretion of Vision X Lighting, who will provide an estimated repair cost before proceeding with the repair.









ADVENTURES JUST GOT BRIGHTER

Combining the superior distance of Iris Reflector technology with the spread of elliptical optics the ADV Light Cannon series shines a powerful combo driving beam that is optimal for all terrains. Coupled with a smooth back-lit halo and a robust 4-bolt steel trunnion bracket, the ADV Light Cannon Series was engineered to outshine and outlast the competition.















IRIS REFLECTOR AND OPTIC COMBO

The long distance Iris Reflector technology combined with the elliptical optics produce the perfect blend of light that fills in any roadway and beyond.

DAYTIME RUNNING HALO

The **SAE** compliant Halo provides the smoothest back lit glow day or night. Choose to run as a Daytime Running Light or place on a separate switch for style lighting on demand.



SAE J3098 compliant for street legal use



Beam/Color Changing Polycarbonate Covers (See p.83)



2D | DIMENSIONS 3.46"/88mm COMBO MIXED BEAM 8.78"/223mm 4.07"/104mm BEAM PATTERN



8.7" | 6.7" SELECTIVE YELLOW LENS & HALO



8.7" | 6.7" CLEAR LENS / WHITE HALO



8.7" | 6.7" CLEAR LENS / AMBER HALO

DIMENSIONS

RFAM



PART#

NEW | SELECTIVE YELLOW LENS KITS

Easily swap out your clear lens on your ADV for Selective Yellow to drastically improve visibility in harsh weather conditions (See p.84). Also available as a standard option already installed on the light below.

WATTS

AMP DRAW

@12V

ADVENTURE SERIES | SPECIFICATIONS AND ORDERING INFORMATION

DESCRIPTION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.

LENS / HALO

RAW

LUMENS



FARIT	DESCRIPTION	LLNS / HALU	LUMLNO	DISTANCE	WAIIO	@ 12 V	DINILIAGIONS	DLAM
1236116	6.7" ADV	Clear / White	8,560lm	1,870ft.	80W	5.83A	6.78"x7.25"x3.46"	Combo
1236216	6.7" ADV Kit	Clear / White	17,120lm	2,494ft.	160W	11.67A	6.78"x7.25"x3.46"	Combo
9946801	6.7" ADV	Selective Yellow	8,560lm	1,870ft.	80W	5.83A	6.78"x7.25"x3.46"	Combo
9945903	6.7" ADV Kit	Selective Yellow	17,120lm	2,494ft.	160W	11.67A	6.78"x7.25"x3.46"	Combo
1236117	6.7" ADV	Clear / Amber	8,560lm	1,870ft.	80W	5.83A	6.78"x7.25"x3.46"	Combo
1236217	6.7" ADV Kit	Clear / Amber	17,120lm	2,494ft.	160W	11.67A	6.78"x7.25"x3.46"	Combo
1238116	8.7" ADV	Clear / White	12,840lm	2,297ft.	120W	10A	8.78"x9.45"x4.07"	Combo
1238216	8.7" ADV Kit	Clear / White	25,680lm	3,248ft.	240W	20A	8.78"x9.45"x4.07"	Combo
9946795	8.7" ADV	Selective Yellow	12,840lm	2,297ft.	120W	10A	8.78"x9.45"x4.07"	Combo
9945897	8.7" ADV Kit	Selective Yellow	25,680lm	3,248ft.	240W	20A	8.78"x9.45"x4.07"	Combo
1238117	8.7" ADV	Clear / Amber	12,840lm	2,297ft.	120W	10A	8.78"x9.45"x4.07"	Combo
1238217	8.7" ADV Kit	Clear / Amber	25,680lm	3,248ft.	240W	20A	8.78"x9.45"x4.07"	Combo

DISTANCE







NEW | SAE STREET LEGAL | CG2 LIGHT CANNONS

OFF-ROAD DURABILITY WITH ON-ROAD USABILITY

Take to the streets with the new Vision X SAE street legal series lights. Our redesigned CG2 internals now feature our patented photon core along with our tuned mixed precision optics to be able to be used on-road but still provide the same durability to handle any off-road adventure. Choose between our smaller CG2 mini cannons for an ultra-wide fog beam or our 4.7" CG2 Light Cannon for high beam applications.















HIGH BEAM WITH MIXED PRECISION OPTICS

The SAE 4.7" Cannon uses a combination of flood and spot optics to produce a beam pattern that is prime for high beam street legal driving applications.



SAE J581 compliant for street legal use

FOG BEAM WITH PHOTON LIGHT CORE OPTIC

The SAE mini-cannon utilizes our new PLC optic technology to produce an ultra-wide elliptical beam that has a sharp cuttoff to keep the light low to the ground and not blind oncoming traffic.

SAE J583 compliant for street legal use





2D | DIMENSIONS

BEAM PATTERN



















3.82"/97mm

3.7" ROUND CLEAR LENS / SELECTIVE YELLOW



3.0" | SQUARE CLEAR LENS / SELECTIVE YELLOW

DIMENSIONS

BEAM



PART#

NEW | SELECTIVE YELLOW LENS KITS

Easily swap out your clear lens on your CG2 for Selective Yellow to drastically improve visibility in harsh weather conditions (See p.84). Also available as a standard option already installed on the light below.

WATTS

AMP DRAW

@12V

CG2 SAE LIGHT CANNONS | SPECIFICATIONS AND ORDERING INFORMATION

DESCRIPTION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.

LENS COLOR

RAW

LUMENS









DECOMM HOM	LENG COLOII	LUMLING	DIGITATIOL	WAIIO	GILV	DIMENSIONS	DEAM
3.0" CG2 SAE	Clear	2,160	245ft.	20W	1.67A	2.99"x3.62"x3.14"	Elliptical
3.0" CG2 SAE Kit	Clear	4,320	270ft.	40W	3.33A	2.99"x3.62"x3.14"	Elliptical
3.0" CG2 SAE	Selective Yellow	2,158	245ft.	20W	1.67A	2.99"x3.62"x3.14"	Elliptical
3.0" CG2 SAE Kit	Selective Yellow	4,320	270ft.	40W	3.33A	2.99"x3.62"x3.14"	Elliptical
3.7" CG2 SAE	Clear	2,160	245ft.	20W	1.67A	3.62"x3.62"x3.82"	Elliptical
3.7" CG2 SAE Kit	Clear	4,320	270ft.	40W	3.33A	3.62"x3.62"x3.82"	Elliptical
3.7" CG2 SAE	Selective Yellow	2,160	245ft.	20W	1.67A	3.62"x3.62"x3.82"	Elliptical
3.7" CG2 SAE Kit	Selective Yellow	4,320	270ft.	40W	3.33A	3.62"x3.62"x3.82"	Elliptical
4.7" CG2 SAE	Clear	3,700	675ft.	35W	2.92A	5.42"x5.28"x3.69"	Elliptical
4.7" CG2 SAE Kit	Clear	7,400	745ft.	70W	5.84A	5.42"x5.28"x3.69"	Elliptical
4.7" CG2 SAE	Selective Yellow	3,700	675ft.	35W	2.92A	5.42"x5.28"x3.69"	Elliptical
4.7" CG2 SAE Kit	Selective Yellow	7,400	745ft.	70W	5.84A	5.42"x5.28"x3.69"	Elliptical
	3.0" CG2 SAE Kit 3.0" CG2 SAE Kit 3.0" CG2 SAE Kit 3.7" CG2 SAE Kit 3.7" CG2 SAE Kit 3.7" CG2 SAE Kit 4.7" CG2 SAE Kit 4.7" CG2 SAE Kit 4.7" CG2 SAE	3.0" CG2 SAE Clear 3.0" CG2 SAE Kit Clear 3.0" CG2 SAE Kit Selective Yellow 3.0" CG2 SAE Kit Selective Yellow 3.7" CG2 SAE Clear 3.7" CG2 SAE Kit Clear 3.7" CG2 SAE Selective Yellow 3.7" CG2 SAE Selective Yellow 4.7" CG2 SAE Clear 4.7" CG2 SAE Kit Clear 4.7" CG2 SAE Kit Selective Yellow	3.0" CG2 SAE Clear 2,160 3.0" CG2 SAE Kit Clear 4,320 3.0" CG2 SAE Selective Yellow 2,158 3.0" CG2 SAE Kit Selective Yellow 4,320 3.7" CG2 SAE Clear 2,160 3.7" CG2 SAE Kit Clear 4,320 3.7" CG2 SAE Kit Clear 2,160 3.7" CG2 SAE Selective Yellow 2,160 3.7" CG2 SAE Kit Selective Yellow 4,320 4.7" CG2 SAE Kit Clear 3,700 4.7" CG2 SAE Kit Clear 7,400 4.7" CG2 SAE Selective Yellow 3,700	3.0" CG2 SAE Clear 2,160 245ft. 3.0" CG2 SAE Kit Clear 4,320 270ft. 3.0" CG2 SAE Selective Yellow 2,158 245ft. 3.0" CG2 SAE Kit Selective Yellow 4,320 270ft. 3.7" CG2 SAE Clear 2,160 245ft. 3.7" CG2 SAE Kit Clear 4,320 270ft. 3.7" CG2 SAE Selective Yellow 2,160 245ft. 3.7" CG2 SAE Kit Selective Yellow 4,320 270ft. 4.7" CG2 SAE Clear 3,700 675ft. 4.7" CG2 SAE Kit Clear 7,400 745ft. 4.7" CG2 SAE Selective Yellow 3,700 675ft.	3.0" CG2 SAE Clear 2,160 245ft. 20W 3.0" CG2 SAE Kit Clear 4,320 270ft. 40W 3.0" CG2 SAE Selective Yellow 2,158 245ft. 20W 3.0" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 3.7" CG2 SAE Clear 2,160 245ft. 20W 3.7" CG2 SAE Kit Clear 4,320 270ft. 40W 3.7" CG2 SAE Selective Yellow 2,160 245ft. 20W 3.7" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 4.7" CG2 SAE Clear 3,700 675ft. 35W 4.7" CG2 SAE Kit Clear 7,400 745ft. 70W 4.7" CG2 SAE Selective Yellow 3,700 675ft. 35W	3.0" CG2 SAE Clear 2,160 245ft. 20W 1.67A 3.0" CG2 SAE Kit Clear 4,320 270ft. 40W 3.33A 3.0" CG2 SAE Selective Yellow 2,158 245ft. 20W 1.67A 3.0" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 3.33A 3.7" CG2 SAE Clear 2,160 245ft. 20W 1.67A 3.7" CG2 SAE Kit Clear 4,320 270ft. 40W 3.33A 3.7" CG2 SAE Selective Yellow 2,160 245ft. 20W 1.67A 3.7" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 3.33A 4.7" CG2 SAE Kit Clear 3,700 675ft. 35W 2.92A 4.7" CG2 SAE Kit Clear 7,400 745ft. 70W 5.84A 4.7" CG2 SAE Selective Yellow 3,700 675ft. 35W 2.92A	3.0" CG2 SAE Clear 2,160 245ft. 20W 1.67A 2.99"x3.62"x3.14" 3.0" CG2 SAE Kit Clear 4,320 270ft. 40W 3.33A 2.99"x3.62"x3.14" 3.0" CG2 SAE Selective Yellow 2,158 245ft. 20W 1.67A 2.99"x3.62"x3.14" 3.0" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 3.33A 2.99"x3.62"x3.14" 3.7" CG2 SAE Clear 2,160 245ft. 20W 1.67A 3.62"x3.62"x3.82" 3.7" CG2 SAE Kit Clear 4,320 270ft. 40W 3.33A 3.62"x3.62"x3.82" 3.7" CG2 SAE Selective Yellow 2,160 245ft. 20W 1.67A 3.62"x3.62"x3.82" 3.7" CG2 SAE Selective Yellow 2,160 245ft. 20W 1.67A 3.62"x3.62"x3.82" 3.7" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 3.33A 3.62"x3.62"x3.82" 3.7" CG2 SAE Kit Selective Yellow 4,320 270ft. 40W 3.33A 3.62"x3.62"x3.82" 4.7" CG2 SAE Clear 3,700 675ft. 35W 2.92A 5.42"x5.28"x3.69" 4.7" CG2 SAE Kit Clear 7,400 745ft. 70W 5.84A 5.42"x5.28"x3.69" 4.7" CG2 SAE Selective Yellow 3,700 675ft. 35W 2.92A 5.42"x5.28"x3.69"

DISTANCE





THE 2ND GENERATION IS HERE

The most powerful and versatile off-road LED lighting system. From 3.0" to 8.7" sizes, each is available in a long distance single LED or Multi-LED Full Beam version to shine the light exactly where you need it. The Day-White lighting color allows you to comfortably see the terrain over unmatchable distances. Driving through harsh weather conditions? No problem. The new Selective Yellow lens option allows you to cut through dust, rain, snow, and fog to maintain maximum visibility.
















NEW | SELECTIVE YELLOW LENS KITS

Easily swap out your clear lens on your CG2 for Selective Yellow to drastically improve visibility in harsh weather conditions (See p.84). Also available as a standard option already installed on the light.







MULTI-LED FOR MAXIMUM LIGHT OUTPUT

Multi-LED CG2 Light Cannons are the ultimate light for blasting through the night with a powerful broad driving beam pattern and outstanding medium distance lighting coverage. Boasting over 100 lumens per watt, the CG2 Multi-LED will out perform and outshine the competition.







SINGLE LED FOR FOCUSED DISTANCE OUTPUT

Single LED CG2 Light Cannons take lighting to uncharted territory with incomparable distances. The industry-leading Luminous Big Chip LED and Iris Reflector throws a violent blast of light that penetrates the night up to 3,500 feet. (8.7") If you need superior distance from your lighting, this is the solution.







PERFORMANCE LED LIGHT



ULTRA EFFICIENT MULTI-LED

Top binned 7W Cree LED provides the greatest overall light output from any LED light of its size.

ADVANCED OPTIC TECHNOLOGY

Each LED array utilizes a 10° optic that produces a full broad spot that is prime for any off-road adventure.

LUMEN OUTPUTCOMPARISON



AMP DRAW

CG2 MULTI-LED LIGHT CANNON | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include pigtail only.

CLEAR LENS

SELECTIVE YELLOW LENS


















PART#	PART#	DESCRIPTION	LUMENS	DISTANCE	WATTS	@12V	DIMENSIONS	BEAM
9929644	9946788	3.0" CG2 Multi-LED	2,250	515ft.	21W	1.75A	2.99"x3.14"x3.82"	Broad Spot
9929651	9945880	3.0" CG2 Multi-LED Kit	4,500	680ft.	42W	3.5A	2.99"x3.14"x3.82"	Broad Spot
9912141	9946719	3.7" CG2 Multi-LED	2,250	515ft.	21W	1.75A	3.62"x3.62"x3.82"	Broad Spot
9912158	9945811	3.7" CG2 Multi-LED Kit	4,500	680ft.	42W	3.5A	3.62"x3.62"x3.82"	Broad Spot
9907499	9946726	4.7" CG2 Multi-LED	5,250	705ft.	49W	4.08A	5.42"x5.28"x3.69"	Broad Spot
9907437	9945828	4.7" CG2 Multi-LED Kit	10,500	915ft.	98W	8.17A	5.42"x5.28"x3.69"	Broad Spot
9907505	9946696	6.7" CG2 Multi-LED	13,500	1,105ft.	126W	10.5A	7.30"x7.09"x5.37"	Broad Spot
9907444	9945798	6.7" CG2 Multi-LED Kit	27,000	1,435ft.	252W	21A	7.30"x7.09"x5.37"	Broad Spot
9907512	9946702	8.7" CG2 Multi-LED	18,000	1,405ft.	168W	14A	9.36"x9.34x6.30"	Broad Spot
9907451	9945804	8.7" CG2 Multi-LED Kit	36,000	1,825ft.	336W	28A	9.36"x9.34x6.30"	Broad Spot
·		·					-	

RAW



DISTANCE OUTPUT COMPARISON



HIGHEST QUALITY SINGLE LED

Industry leading Luminus Big Chip Technology allows us to maximize the light output from each housing size.

IRIS REFLECTOR TECHNOLOGY

Focusing the power of the single source LED, the Iris Reflector boosts the beam to unbeatable distances compared to the competition.



CG2 SINGLE-LED LIGHT CANNON | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include pigtail only.









			RAW			AMP DRAW		
PART#	PART#	DESCRIPTION	LUMENS	DISTANCE	WATTS	@12V	DIMENSIONS	BEAM
9929620	9946771	3.0" CG2 Single-LED	1,070	1,000ft.	10W	0.83A	2.99"x3.14"x3.82"	Spot
9929637	9945873	3.0" CG2 Single-LED Kit	2,140	1,100ft.	20W	1.67A	2.99"x3.14"x3.82"	Spot
9925240	9946733	3.7" CG2 Single-LED	1,070	1,000ft.	10W	0.83A	3.62"x3.62"x3.82"	Spot
9925271	9945835	3.7" CG2 Single-LED Kit	2,140	1,100ft.	20W	1.67A	3.62"x3.62"x3.82"	Spot
9907574	9946740	4.7" CG2 Single-LED	3,000	1,115ft.	40W	3.33A	5.42"x5.28"x3.69"	Spot
9907468	9945842	4.7" CG2 Single-LED Kit	6,000	1,250ft.	80W	6.67A	5.42"x5.28"x3.69"	Spot
9907567	9946757	6.7" CG2 Single-LED	4,000	3,000ft.	70W	5.83A	7.30"x7.09"x5.37"	Spot
9907475	9945859	6.7" CG2 Single-LED Kit	8,000	3,300ft.	140W	11.67A	7.30"x7.09"x5.37"	Spot
9907550	9946764	8.7" CG2 Single-LED	6,200	3,500ft.	100W	8.33A	9.36"x9.34x6.30"	Spot
9907482	9945866	8.7" CG2 Single-LED Kit	12,400	3,850ft.	200W	16.67A	9.36"x9.34x6.30"	Spot





SPOT & FLOOD IN ONE COMPLETE KIT

Designed similarly to our popular round pod style lights, the VL Driving Light offers multi LED Reflectors to provide a spread of light at a distance. With the VL Driving series we are able to streamline the manufacturing process in our new facility to the point we can offer a free set of Flood Covers and bring the price down to a point even entry level offroaders will be happy with, while still maintaining the Vision X quality.













SLIM HOUSING DESIGN


The newly designed slimmer housing ensures the light won't extend past the width of the bracket making the VL-Series light perfect for bumpers and roof mounting

HEAVY DUTY ADJUSTABLE TRUNNION MOUNT

The powdercoated steel bracket allows for up to 60° of adjustment and will withstand any level of abuse and still remain secure to your vehicle.







TAKE CONTROL OF YOUR LIGHT



BROAD SPOT BEAM

D V/V

Harnessing the power of reflector technology arranged in a honeycomb pattern, the VL-Series Driving Light emits a powerful long distance broad spot beam capable of reaching distances up to 2,265ft.

INCLUDES SNAP-ON WIDE FLOOD COVER

Included with every VL-Series Driving Light Kit is a Snap-On Clear Cover that is designed the change the spot beam into a wide flood light pattern as well as add protection from debris.

Covers Only Included with (2) Light Kits

AMP DRAW

VL-SERIES SERIES | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights, (2) Snap-On Covers and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.





PART#	DESCRIPTION	LUMENS	DISTANCE	WATTS	@12V	DIMENSIONS	BEAM
9929682	6.7" VL-Series	4,365	1,310ft.	63W	5.25A	7.28"x7.44"x2.99"	Broad Spot
9929699	6.7" VL-Series Kit	8,730	1,740ft.	126W	10.5A	7.28"x7.44"x2.99"	Broad Spot
9929668	8.7" VL-Series	7,275	1,640ft.	105W	8.75A	9.25"x9.49"x3.46"	Broad Spot
9929675	8.7" VL-Series Kit	14,550	2,265ft	210W	17.5A	9.25"x9.49"x3.46"	Broad Spot





COMPACT HOUSING MEETS DISTANCE OUTPUT

By combining single-source LEDs with our Iris Reflector technology, the Optimus Series is capable of reaching a staggering 883' of usable light at just 10W. The independent back-lit halo ring comes in either white or amber to provide extra style and utility. The Optimus's compact housing design is available in a 3.7" round or a 3" square making it the perfect size for fog light and ditch lighting applications.













COMPACT HOUSING DESIGN

The small yet mighty housing design comes in a standard 3.7" round and 3" square making it the perfect size for small / tight mounting spaces.

SMOOTH BACKLIT HALO OPTIONS

The back-lit halo function is available in Amber or White and is run independently from the light to allow it to be used a daytime running light or turn signal.



Beam/Color ChangingPolycarbonate Covers (See p.82)



2D | DIMENSIONS 3.82"/97mm 3.82"/97mm EXTREME SPOT BEAM 3.82"/97mm BEAM 3.82"/97mm BEAM 3.82"/97mm



3.7" ROUND WHITE HALO



3.7" | ROUND AMBER HALO



3.0" | SQUARE WHITE HALO



3.0" | SQUARE AMBER HALO



NEW | SELECTIVE YELLOW LENS KITS

Easily swap out your clear lens on your Optimus Halo for Selective Yellow to drastically improve visibility in harsh weather conditions. (See p.84)

OPTIMUS HALO SERIES | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.


	PART#	DESCRIPTION	HALO	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
	9891712	3.7" Optimus White Halo	White	1,052	883ft.	10W	0.83A	3.62"x3.82"x3.62"	Spot
	9891729	3.7" Optimus White Halo Kit	White	2,104	970ft.	20W	1.67A	3.62"x3.82"x3.62"	Spot
	9907185	3.7" Optimus Amber Halo	White	1,052	883ft.	10W	0.83A	3.62"x3.82"x3.62"	Spot
	9917610	3.7" Optimus Amber Halo Kit	White	2,104	970ft.	20W	1.67A	3.62"x3.82"x3.62"	Spot
	9891699	3" Optimus White Halo	Amber	1,052	883ft.	10W	0.83A	2.99"x3.82"x3.14"	Spot
	9891705	3" Optimus White Halo Kit	Amber	2,104	970ft.	20W	1.67A	2.99"x3.82"x3.14"	Spot
	9907178	3" Optimus Amber Halo	Amber	1,052	883ft.	10W	0.83A	2.99"x3.82"x3.14"	Spot
-	9917627	3" Optimus Amber Halo Kit	Amber	2,104	970ft.	20W	1.67A	2.99"x3.82"x3.14"	Spot

LED LIGHT BARS

Vision X LED Light Bars come in a variety of sizes from 4" all the way to 52". Our LED Light Bars have an extruded 6061 aluminum housing and are created from top-binned, perfectly crafted LEDs for a durable and highly effective LED lighting solution.

- **NEW 28** Unite Modular Light Bar System
- NEW 32 Shocker X2
 - 34 Shocker Dual Action Light Bar
- NEW 36 XPL SAE Street Legal
 - 38 XPL / XPL Curved Halo Lo-Profile
 - 42 XPR-S Race Series
 - 44 XPR / XPR Curved Halo Mixed Beam
 - 48 Chaser Bar







CHOOSE CONNECT SHINE

The Unite Modular LED Light Bar System brings lighting power and customization to the forefront by allowing you to build your light bar with endless configuration possibilities. Our quick-connect mounting rail provides a sturdy backbone for the modules to easily attach to. Each module features a 4-LED advanced optic design that comes in multiple different styles to match your lighting needs. The Unite Modular Light Bar system enables you to choose, configure, and build the light bar that you need for your vehicle.















MULTI-CIRCUIT FUNCTIONALITY


Each Unite Module can be powered separately or in groups with the help of our split-function power accessories.

SLIDE AND LOCK MOUNTING RAIL

The extruded aluminum mounting rail allows you to quickly and easily remove and swap around Unite Modules.

WEATHERPROOF CONNECTORS

The "H" power connectors spread power from one pod to another in a watertight contact design.



INFINITE LIGHTING CONFIGURATIONS



STRAIGHT LENGTHS: 6" (2 PODS) | 12" (4 PODS) | 20" (7 PODS) | 30" (11 PODS) | 40" (15 PODS) | 50" (18 PODS) | CURVED LENGTHS: 20" (7 PODS) | 30" (11 PODS) | 40" (15 PODS) | 50" (18 PODS)





















SPOT | 9936437 **FLOOD** | 9936451 **ELLIPTICAL** | 9947518



SPOT | 9946115 **FLOOD** | 9946122 **ELLIPTICAL** | 9947501



SPOT | 9947266 **FLOOD** | 9947341 **ELLIPTICAL** | 9947419



SPOT | 9936475 **FLOOD** | 9936499 **ELLIPTICAL** | 9947754



SPOT | 9946139 **FLOOD** | 9946146 **ELLIPTICAL** | 9947747



SPOT | 9947532 **FLOOD** | 9947587 **ELLIPTICAL** | 9947655

UNITE SERIES POD | SPECIFICATIONS AND ORDERING INFORMATION

Each Unite Mounting Rail will include deutsch power connector(s), end cap wing mounts and mounting hardware.

PART#	DESCRIPTION	LENS COLOR	FACEPLATE Style	BEAM Pattern	RAW Lumens	WATTS	AMP DRAW @12V
9936437	Unite Series Pod	Clear	Frosted	Spot	2,112	20W	1.67A
9936451	Unite Series Pod	Clear	Frosted	Flood	2,112	20W	1.67A
9947518	Unite Series Pod	Clear	Frosted	Elliptical	2,112	20W	1.67A
9947266	Unite Series Pod	Amber	Frosted	Spot	2,112	20W	1.67A
9947341	Unite Series Pod	Amber	Frosted	Flood	2,112	20W	1.67A
9947419	Unite Series Pod	Amber	Frosted	Elliptical	2,112	20W	1.67A
9946115	Unite Series Pod	Selective Yellow	Frosted	Spot	2,112	20W	1.67A
9946122	Unite Series Pod	Selective Yellow	Frosted	Flood	2,112	20W	1.67A
9947501	Unite Series Pod	Selective Yellow	Frosted	Elliptical	2,112	20W	1.67A
9936475	Unite Series Pod	Clear	Blackout	Spot	2,112	20W	1.67A
9936499	Unite Series Pod	Clear	Blackout	Flood	2,112	20W	1.67A
9947754	Unite Series Pod	Clear	Blackout	Elliptical	2,112	20W	1.67A
9947532	Unite Series Pod	Amber	Blackout	Spot	2,112	20W	1.67A
9947587	Unite Series Pod	Amber	Blackout	Flood	2,112	20W	1.67A
9947655	Unite Series Pod	Amber	Blackout	Elliptical	2,112	20W	1.67A
9946139	Unite Series Pod	Selective Yellow	Blackout	Spot	2,112	20W	1.67A
9946146	Unite Series Pod	Selective Yellow	Blackout	Flood	2,112	20W	1.67A
9947747	Unite Series Pod	Selective Yellow	Blackout	Elliptical	2,112	20W	1.67A





UNITE SERIES MOUNTING RAIL | SPECIFICATIONS AND ORDERING INFORMATION

Each Unite Mounting Rail will include deutsch power connector(s), end cap wing mounts and mounting hardware.

PART#	DESCRIPTION	LENGTH	MAX POD CAPACITY	STYLE
9937311	6" Unite Straight Mounting Rail	5.55"	2	Straight
9937212	12" Unite Straight Mounting Rail	11.12"	4	Straight
9937236	20" Unite Straight Mounting Rail	19.45"	7	Straight
9937250	30" Unite Straight Mounting Rail	30.55"	11	Straight
9937274	40" Unite Straight Mounting Rail	38.86"	15	Straight
9937298	50" Unite Straight Mounting Rail	49.86"	18	Straight
9937113	20" Unite Curved Mounting Rail	22.01"	7	Curved
9937137	30" Unite Curved Mounting Rail	32.01"	11	Curved
9937151	40" Unite Curved Mounting Rail	41.93"	15	Curved
9937175	50" Unite Curved Mounting Rail	51.77"	18	Curved

UNITE SERIES MOUNTING RAIL | SPECIFICATIONS AND ORDERING INFORMATION

Each Unite Mounting Rail will include deutsch power connector(s), end cap wing mounts and mounting hardware



POWER CONNECTOR 9937700



HIGH AMP POWER CON. 9937724



WIRING HARNESS 4006195



9942612

DESCRIPTION
Unite Series Left Side Deutsch Power Connector And Power Plug
Unite Series Right Side Deutsch Power Connector And Power Plug
Unite Series Left Side Deutsch Power Connector High Amp And Power Plug
Unite Series Right Side Power Connector High Amp Deutsch And Power Plug
Single Input Harness for 6"- 20" Unite Light Bar
Dual Input Harness for 30" Unite Light Bar
Dual Input Harness for 40" & 50" Unite Light Bar
(2) Bottom Mounting Fit Kit with Side Cover Plates
(4) Bottom Mounting Fit Kit with Side Cover Plates



FULLY BUILT PRE-CONFIGURED UNITE OPTIONS AVAILABLE

Unsure of which configuration works best for your application? We did the research for you! Go to **visionxoffroad.com** to see the different configurations that we have put together to cover the most popular lighting styles.







The all-new Shocker X2 LED Light Bar packs two rows of our patented Iris Reflectors with 5W ultra-bright LEDS to produce a wide and long-distance beam pattern that is prime for turning any nighttime adventure into daylight. The dual row LEDs means that we are doubling the output when compared to most of our single row LED light bars making the Shocker X2 the newest and brightest addition to our LED light bar range. Lastly, the Shocker X2 also features our smooth back-lit halo function that our off-road lights are known for.

LENGTHS: 10" | 20" | 32" | 40" | 51"













HIGH OUTPUT CREE LED

The 5W XT-E HE LED from Cree coupled with our Iris Reflectors is what allows the Shocker X2 to project light up to 2,905 ft.


DUAL MOUNTING STANDARD

Each Shocker X2 Light Bar includes side wing mounts and our patented mounting feet to accommodate any mounting points.


SMOOTH BACKLIT HALO

The Shocker X2 comes equipped with our famous back-lit halo that can be used as a daytime running light or parking light.





APPLICATION | COMMON SIZES



SHOCKER X2 SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

Each Shocker X2 will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

			RAW			AMP DRAW	
PART#	DESCRIPTION	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
2610216	10" Shocker X2	9.57	6,420 lm	1,210ft.	60W	5A	Broad Spot
2620216	20" Shocker X2	20.9	16,050 lm	1,770ft.	150W	12.5A	Broad Spot
2630216	32" Shocker X2	32.24	25,680 lm	2,495ft.	240W	20A	Broad Spot
2640216	40" Shocker X2	39.8	32,100 lm	2,820ft.	300W	25A	Broad Spot
2650216	51" Shocker X2	50.98	34,240 lm	2,905ft.	320W	26.67A	Broad Spot





DUAL ACTION PERFORMANCE

The Shocker Dual Action LED Light bar brings versatility and lighting power to the forefront by allowing you to adjust your vision to the ever-changing driving conditions with the flick of a switch. Experience the all new VRT (Vector Reflector Technology) at high speeds to shine long distance with a wide driving beam that also fans across the trail. When dust and fog tries to slow you down, engage the Amber PLC (Photon Light Core Technology) to penetrate the night by reducing shadows and white-out by using the proper Amber lighting color and wide-elliptical shaped beam.

LENGTHS: 12" | 20" | 30" | 40"

















BOTTOM HALF | AMBER OR WHITE LED

PHOTON LIGHT CORE (PLC) WIDE ELLIPTICAL BEAM


The new Photon Light Core technology is the first of its kind. Our engineers designed the bottom half of the Shocker to produce a unique wide spread elliptical beam that keeps the light low to the ground.



TOP HALF | WHITE LED


VECTOR REFLECTOR (VR) BROAD SPOT BEAM

With the flip of a switch, the Shocker bar transforms your light into a driving spot beam that utilizes our newly designed Vector Reflector Technology to boost the beam pattern out to 1,314ft.



PHOTON LIGHT CORE (PLC) WHITE LED MODEL

PHOTON LIGHT CORE (PLC) AMBER LED MODEL



SHOCKER SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

Each Shocker Light Bar will include mounting hardware and a wiring harness complete with relays and a 3-way rocker switch.

PART#	DESCRIPTION	LENGTH	FUNCTION	LED Color	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	BEAM
0000705	10" Chapter Amber DI C	11.07"	Vector Reflector	White	6,420	1,314ft.	60W	5A	Broad Spot
9929705	12" Shocker Amber PLC	11.97"	Photon Light Core	Amber	3,550	360ft.	70W	5.8A	Elliptical
0024204	10" Chaokar I White DLC	11.07"	Vector Reflector	White	6,420	1,314ft.	60W	5A	Broad Spot
9934204	12" Shocker White PLC	11.97"	Photon Light Core	White	6,945	475ft.	95W	7.9A	Elliptical
0000070	00" Charles I Ambar DI C	01.00"	Vector Reflector	White	12,840	1,725ft.	125W	10.42A	Broad Spot
9932873	20" Shocker Amber PLC	21.89"	Photon Light Core	Amber	7,100	480ft.	140W	11.67A	Elliptical
0024250	20" Chaokar I White DLC	21.89"	Vector Reflector	White	12,840	1,725ft.	125W	10.42A	Broad Spot
9934259	20" Shocker White PLC		Photon Light Core	White	13,890	700ft.	200W	16.67A	Elliptical
9932972	30" Shocker Amber PLC	01 01"	Vector Reflector	White	19,260	2,145ft.	195W	16.25A	Broad Spot
9932972		31.81"	Photon Light Core	Amber	10,650	615ft.	220W	18.33A	Elliptical
0004000	20" Chaolear I White DLC	01.01"	Vector Reflector	White	19,260	2,145ft.	195W	16.25A	Broad Spot
9934266	30" Shocker White PLC	31.81"	Photon Light Core	White	20,835	845ft.	300W	25A	Elliptical
0022000	40" Chaokar Ambar DI C	41 70"	Vector Reflector	White	25,680	2,260ft.	250W	20.83A	Broad Spot
9932989	40" Shocker Amber PLC	41.73"	Photon Light Core	Amber	14,200	680ft.	300W	25A	Elliptical
0024272	40" Chaokar I White DLC	44.70"	Vector Reflector	White	25,680	2,260ft.	250W	20.83A	Broad Spot
9934273	40" Shocker White PLC	41.73"	Photon Light Core	White	27,780	985ft.	380W	31.67A	Elliptical





OFF-ROAD DURABILITY WITH ON-ROAD USABILITY

Take to the streets with the new Vision X SAE street legal series lights. Our redesigned XPL internals now feature our patented photon core technology that produces an ultra-wide fog beam with a sharp cut-off to not blind oncoming traffic, making it prime and legal for on-road use. Available with our new selective yellow style lens, the XPL SAE light bar was built to tackle any weather conditions.

LENGTHS: 5" | 8" | 12"















PHOTON LIGHT CORE OPTIC


The XPL SAE Light Bar utilizes our new PLC optic technology to produce an ultra-wide elliptical beam that has a sharp cutoff to keep the light low to the ground and not blind oncoming traffic.

SELECTIVE YELLOW LENS OPTION

Choose between the standard clear lens and the new Selective Yellow option to maintain maximum visibility in dust, fog, rain or snowy conditions.

DUAL MOUNTING STANDARD

Each XPL Light Bar includes side wing mounts and our newly designed fully adjustable mounting feet.















XPL SAE SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

Each XPL SAE Light Bar will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

PART#	DESCRIPTION	LENS COLOR	LENGTH	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	BEAM
9952352	5" XPL SAE	Clear	4.84"	1,610	215ft.	15W	1.25A	Elliptical
9952369	5" XPL SAE	Selective Yellow	4.84"	1,610	215ft.	15W	1.25A	Elliptical
9952338	8" XPL SAE	Clear	7.80"	3,220	460ft.	27W	2.25A	Elliptical
9952345	8" XPL SAE	Selective Yellow	7.80"	3,220	460ft.	27W	2.25A	Elliptical
9951287	12" XPL SAE	Clear	10.75"	4,860	670ft.	34W	2.83A	Elliptical
9952321	12" XPL SAE	Selective Yellow	10.75"	4,860	670ft.	34W	2.83A	Elliptical





SLIM STYLE & PERFORMANCE

The XPL Halo Series LED Light Bar builds upon the XPR Series by combining the distance power of Iris Reflector Technology with an ultra slim housing design. Utilizing a powerful 5W Cree LED, the XPL series is able to produce up to 19,260 lumens and over 2,000 ft. of usable light.

LENGTHS: 6" | 10" | 13" | 20" | 32" | 40" | 51"















HIGH OUTPUT CREE LED

The 5W XT-E HE LED from Cree coupled with our Iris Reflectors is what allows the XPL to project light up to 2,067 ft.

DUAL MOUNTING STANDARD


Each XPL Light Bar includes side wing mounts and our newly designed fully adjustable mounting feet.

SMOOTH BACKLIT HALO


The XPL comes equipped with a back-lit halo that can be used as a daytime running light.(**SAE** Compliant for 20" and under)



SAE J3098 compliant for street legal use



APPLICATION | COMMON SIZES




XPL SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

SELECTIVE YELLOW LENS

CLEAR LENS

Each XPL Light Bar will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

[22222]	88888			RAW			AMP DRAW	
PART#	PART#	DESCRIPTION	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
2506916	9946429	6" XPL Lo-Pro	5.63"	1,605	486ft.	15W	1.25A	Spot
2510916	9946436	10" XPL Lo-Pro	9.41"	3,210	919ft.	30W	2.5A	Spot
2513916	9946443	13" XPL Lo-Pro	13.19"	4,815	1,083ft.	45W	3.75A	Spot
2520916	9946283	21" XPL Lo-Pro	20.75"	8,025	1,408ft.	75W	6.25A	Spot
2530916	9946290	32" XPL Lo-Pro	32.09"	12,840	1,805ft.	120W	10A	Spot
2540916	9946405	40" XPL Lo-Pro	39.65"	16,050	1,970ft.	150W	12.5A	Spot
2550916	9946412	51" XPL Lo-Pro	50.98"	20,865	2,067ft.	195W	16.25A	Spot





RADIUSED STYLE & PERFORMANCE

The XPL Curved Halo Series LED Light Bar is our solution to growing demand for high performance curved light bars. We did it better and we are the first to do it featuring an ultra slim 2" housing with high intensity single row 5W LEDs. Utilizing our Iris Reflector Technology coupled with the unique curve of the bar, the XPL Curved Series produces a broad spot beam pattern that reaches over 1,800ft with up 23,005 raw lumens.

LENGTHS: 20" | 30" | 40" | 50" | 54"















HIGH OUTPUT CREE LED

The 5W XT-E HE LED from Cree, coupled with our Iris Reflectors, is what allows the XPL Curved to project light up to 2,067 ft.

END CAP WING & STUD MOUNTING


Each XPL Curved Light Bar includes side wing mounts with the option of using a single bolt.

SMOOTH BACKLIT HALO

The XPL Curved comes equipped with a back-lit halo that can be used as a daytime running light.(**SAE** Compliant for 20" only)



SAE J3098 compliant for street legal use



APPLICATION | COMMON SIZES



XPL CURVED SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

Each XPL Curved Light Bar will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

			RAW			AMP DRAW	
PART#	DESCRIPTION	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
2520717	20" XPL Curved	20.08"	8,025	1,070ft.	75W	6.25A	Spot
2530717	30" XPL Curved	30.18"	12,305	1,320ft.	115W	9.58A	Spot
2540717	40" XPL Curved	40.20"	16,585	1,520ft.	155W	12.92A	Spot
2550717	50" XPL Curved	50.12"	20,865	1,745ft.	195W	16.25A	Spot
2554717	54" XPL Curved	53.81"	23,005	1,860ft.	215W	17.92A	Spot





RACE SERIES SPOT BEAM FOR ULTIMATE DISTANCE

The XPR-S Series Light Bar uses a high intensity LED that allows the beam to take full advantage of the Iris Reflector and project the light up to 75% further than the XPR series. This light is designed to outshine and outlast the competition.

LENGTHS: 6" | 12" | 19" | 24" | 30" | 35" | 40" | 45" | 51"















END CAP STUD MOUNTS AVAILABLE (See p.87)



UPGRADED REFLECTORS

The XPR-S Features Upgraded Reflectors that projects an unmatched spot beam up to 3,773 ft.

DUAL MOUNTING STANDARD


Mounting options include side wing mounts and our patented fully adjustable mounting feet.

SMOOTH BACK-LIT HALO OPTION


The XPR-S features a bright back lighting that can be used as a daytime running light. (**SAE** Compliant for 24" and under)



SAE J3098 compliant for street legal use



APPLICATION | COMMON SIZES




XPR-S HALO SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

SELECTIVE YELLOW LENS

CLEAR LENS

Each XPR-S Halo Light Bar will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

99999	99999			D4W			484D DD 414	
PART#	PART#	DESCRIPTION	LENGTH	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	BEAM
9898544	9946573	6" XPR-S Halo	6.14"	3,237	1,557ft.	30W	2.5A	Spot
9898537	9946580	12" XPR-S Halo	11.46"	6,474	2,133ft.	60W	5A	Spot
9893235	9946603	19" XPR-S Halo	18.80"	9,711	2,362ft.	90W	7.5A	Spot
9897165	9946467	25" XPR-S Halo	24.06"	12,984	2,461ft.	120W	10A	Spot
9893228	9946481	30" XPR-S Halo	29.37"	16,185	2,789ft.	150W	12.5A	Spot
9893242	9946504	35" XPR-S Halo	34.69"	19,422	3,117ft.	180W	15A	Spot
9898872	9946528	40" XPR-S Halo	40.00"	22,659	3,281ft.	210W	17.5A	Spot
9898889	9946542	45" XPR-S Halo	45.30"	25,896	3,590ft.	240W	20A	Spot
9898896	9946566	51" XPR-S Halo	50.63"	29,133	3,773ft.	270W	22.5A	Spot





COMBO BEAM FOR SPREAD & DISTANCE LIGHTING

The XPR LED Light bar series provides a powerful distance with **Mixed Beam tilted reflectors** to illuminate your peripherals. The 10-Watt LEDs through the large Iris Reflectors make this bar one of the furthest shining combo beam bars out there.

LENGTHS: 19" | 24" | 30" | 35" | 40" | 45" | 51"















END CAP STUD MOUNTS AVAILABLE (See p.87)



TILTED REFLECTORS

The XPR Features Tilted Reflectors on the ends that angle the beam outward to illuminate off to the sides of your vehicle.

DUAL MOUNTING STANDARD


Mounting options include side wing mounts and our patented mounting feet.

SMOOTH BACK-LIT HALO OPTION


The XPR features a bright back lighting that can be used as a daytime running light. (**SAE** Compliant for 24" and under)



SAE J3098 compliant for street legal use



APPLICATION | COMMON SIZES



XPR HALO SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

SELECTIVE YELLOW LENS

CLEAR LENS

Each XPR Halo Light Bar will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

99900000	99999999	6						
PART#	PART#	DESCRIPTION	LENGTH	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	BEAM
9911816	9946597	19" XPR Halo	18.80"	9,711	1,365ft.	90W	7.5A	Combo
9911786	9946450	25" XPR Halo	24.06"	12,984	1,430ft.	120W	10A	Combo
9911595	9946474	30" XPR Halo	29.37"	16,185	1,625ft.	150W	12.5A	Combo
9912271	9946498	35" XPR Halo	34.69"	19,422	1,755ft.	180W	15A	Combo
9911700	9946511	40" XPR Halo	40.00"	22,659	1,853ft.	210W	17.5A	Combo
9911793	9946535	45" XPR Halo	45.30"	25,896	1,950ft.	240W	20A	Combo
9912134	9946559	51" XPR Halo	50.63"	29,133	2,214ft.	270W	22.5A	Combo





CURVED EDITION PERFORMANCE LIGHTING

The XPR Curved LED Light bar series brings the same long-distance Iris Reflector technology but now offered in a curved housing design to match the natural curves of front bumpers and roofs. Featuring our patented dual mounting feet and end-cap wing mounts for the ultimate mounting versatility and our smooth back-lit halo function, the XPR curved is the perfect addition for any off-road vehicle.

LENGTHS: 20" | 30" | 40" | 50" | 54"















END CAP STUD MOUNTS AVAILABLE (See p.87)



RADIUSED HOUSING

The XPR Curved housing was designed to match the natural curves of front bumpers and roofs for a clean fitment.

END CAP WING & STUD MOUNTING


Each XPR Curved Light Bar includes side wing mounts with the option of using a end cap stud mount (p.87).

SMOOTH BACK-LIT HALO OPTION

The XPR is available in a halo model that can be used as a daytime running light. (**SAE** Compliant for 20" Only)



SAE J3098 compliant for street legal use




APPLICATION | COMMON SIZES



XPR CURVED SERIES LIGHT BAR | SPECIFICATIONS AND ORDERING INFORMATION

Each XPR Curved Light Bar will include mounting hardware and a wiring harness complete with relays and a lighted rocker switch.

			RAW			AMP DRAW	
PART#	DESCRIPTION	LENGTH	LUMENS	DISTANCE	WATTS	@12V	BEAM
9936758	20" XPR Curved	20.55"	11,880	1,365ft.	110W	9.17A	Broad Spot
9936734	30" XPR Curved	31.24"	18,360	1,625ft.	170W	14.17A	Broad Spot
9936710	40" XPR Curved	40.08"	23,760	1,853ft.	220W	18.33A	Broad Spot
9936697	50" XPR Curved	50.57"	30,240	2,010ft.	280W	23.33A	Broad Spot
9936673	54" XPR Curved	54.04"	32,400	2,214ft.	300W	25A	Broad Spot





MODEL | **35**"|

CHASER BAR FOR EXTREME ENTHUSIAST

The Vision X Chaser Bar provides high output color LEDs in a sleek, low profile housing with a bright flood beam pattern. This rear mounted light bar can be configured as your running and brake lights using standard Red, Amber, and White LED's.

The Chaser Bar comes in two sizes to accommodate stock UTV (28") and after-market UTV (35") roll cages.















HIGH OUTPUT COLOR LED


Combination of 5W (White) and 3W (Color) LEDs allows the XPL Chaser Bar to outshine the competition.

LOW PROFILE WATERPROOF HOUSING


The 2" slim IP-67/69K rated housing ensures a water tight seal even under the toughest conditions.

DUAL MOUNTING

The XPL Chaser comes standard with wing mounts with the option of just using the end cap bolt for side stud mounting.



LED COLOR | FUNCTION



CHASER BAR SERIES | SPECIFICATIONS AND ORDERING INFORMATION

Each Chaser Bar will include mounting hardware and a 36" raw wire lead for each function.

				AMP DRAW	
PART#	DESCRIPTION	LENGTH	WATTS	@12V	BEAM
2928101	28" Chaser Bar	28.15"	69W	5.75A	Flood
2935101	35" Chaser Bar	35.75"	98W	8.17A	Flood




The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" & 5.75" Round as well as 4x6" Rectangle with a Polished Chrome finish or a Black Chrome finish.

50 VX Series Headlights

52 XMC Motorcycle Headlights

53 XMC Passing Lamps







LED HEADLIGHTS MEETS STYLE & PERFORMANCE

The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" & 5.75" Round as well as 4x6" Rectangle with a Polished Chrome finish or a Black Chrome finish.

ADR and E-MARK Approved models are available for those who live in Australia and Europe.

Multiple direct plug-and-play accessories are available that help give you the most out of your VX Series LED Headlight. (See p.74)





BRIGHT DAYTIME RUNNING HALO

Every VX Series Model Headlight features an ultra smooth LED Halo Ring that can be ran independently. Available in Amber or White LED.

WATERTIGHT HOUSING

The IP-68 watertight housing comes equipped with a ultra rugged Polycarbonate Lens and one-way Gortex ® Valve to block moisture build up.




WIDE SPREAD LOW BEAM

One main 12W LED produces the wide spread low beam with the help of 5W LEDs on the sides to fill in the roadway directly in front of your vehicle.

HIGH OUTPUT HIGH BEAM

Two 10W LEDs located under the low beam utilize Iris Reflectors to produce a long range high beam.



7.0" 42W | 3.5A | 4,210 Lumens(ea)



5.75" 42W | 3.5A | 4,210 Lumens(ea)



4x6" 42W | 3.5A | 4,210 Lumens(ea)



VX SERIES HEADLIGHTS | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) headlights and come standard with an H4 connector.



7.0" | WHITE HALO

PART#	DESCRIPTION
9891217	7" Chrome White Halo
9891224	7" Kit Chrome White Halo
9892436	7" Black Chrome White Halo
9892443	7" Kit Black Chrome White Halo



5.75" | WHITE HALO

PART#	DESCRIPTION
9895604	5.75" Chrome White Halo
9895611	5.75" Kit Chrome White Halo
9895635	5.75" Black Chrome White Halo
9895642	5.75" Kit Black Chrome White Halo



4x6" | WHITE HALO

PART#	DESCRIPTION
9897806	4x6" Chrome White Halo
9897820	4x6" Kit Chrome White Halo
9897813	4x6" Black Chrome White Halo
9897837	4x6" Kit Black Chrome White Halo



7.0" | AMBER HALO

PART#	DESCRIPTION
9925950	7" Chrome Amber Halo
9925967	7" Kit Chrome Amber Halo
9925974	7" Black Chrome Amber Halo
9925981	7" Kit Black Chrome Amber Halo



4x6" AMBER HALO

PART#	DESCRIPTION
9925912	4x6" Chrome Amber Halo
9917641	4x6" Kit Chrome Amber Halo
9925929	4x6" Black Chrome Amber Halo
9917634	4x6" Kit Black Chrome Amber Halo





XMC MOTORCYCLE **LED HEADLIGHTS**

Bringing the same performance and style from the VX series LED headlights, the XMC motorcycle headlights have modified with a slightly slimmer housing, radio noise filters, and an H4 plug to accommodate most standard motorcycle bucket sizes.

7.0" 42W | 3.5A | 4,210 Lumens(ea)



5.75" 42W | 3.5A | 4,210 Lumens(ea)



5.75" ROAD GLIDE 84W | 7.0A | 8,420 Lumens (pair)



VX SERIES HEADLIGHTS | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) headlights and come standard with an H4 connector.



7.0" | WHITE HALO

PART#	DESCRIPTION
9892061	7" XMC Chrome
9895291	7" XMC Black Chrome



5.75" | WHITE HALO

PART#	DESCRIPTION
9895628	5.75" XMC Chrome
9895659	5.75" XMC Black Chrome





5.75" | WHITE HALO

PART#	DESCRIPTION
9895673	5.75" XMC Road Glide Kit Chrome
9895697	5.75" XMC Road Glide Kit Black Chrome







LED PERFORMANCE **PASSING LAMPS**

Vision X Lighting's XMC 4.5" LED HALO Passing Lamp Kit grants extra visibility and enhances your safety on the road. These powerful 10W lights each pack five times more output than the stock passing lamps, and draw six times less amperage. Dramatically improve your performance while increasing visibility and safety. The MSR Style Reflectors give the XMC Passing Lights a powerful beam pattern than combines distance with full spread coverage.





PART#	ITEM#	AMP DRAW @12V
9904085	4.5" XMC Chrome Passing Lamp Kit	0.83
9904078	4.5" XMC Black Chrome Passing Lamp Kit	0.83

XMC MOTORCYCLE | ACCESSORIES

BILLET CLAMPS | 0.75"-3.0"



PART#	DESCRIPTION
9897325	0.75" Tube Clamp Pair
9897301	1.0" Tube Clamp Pair
9897288	1.25" Tube Clamp Pair
9897264	1.50" Tube Clamp Pair
9897240	1.75" Tube Clamp Pair

PART#	DESCRIPTION
9893372	2.0" Tube Clamp Pair
9893389	2.25" Tube Clamp Pair
9893396	2.50" Tube Clamp Pair
9893402	3.00" Tube Clamp Pair

WIRING | ADAPTERS



PART#	DESCRIPTION
9895475	HI4 Headlight Adapter (Keep Low Beam On When High Beam is Engaged)
9892894	H4 to Delphi Headlight Adapter
9892900	H4 to H9 / H11 Headlight Adapter











PRO POD | ROCK LIGHTS

PRO POD | SINGLE ROCK LIGHT



Features: 140 Lumens Per Pod 5 Color Options 3ft. Power Cord

Weatherproof Housing

DESCRIPTION	PART#	COLOR	SIZE
Pro Pod Amber	9136219		1.76"
Pro Pod Blue	9136301		1.76"
Pro Pod Green	9136394		1.76"
Pro Pod Red	9136486		1.76"
Pro Pod White	9136127	0	1.76"
















TANTRUM | ROCK LIGHTS

TANTRUM | ROCK LIGHT KIT



Features:

560 Lumens Per Kit Includes 8 Pods Multi-Speed Scanning Flash Control Wireless Remote

DESCRIPTION	PART#	COLOR	SIZE
Tantrum Amber Kit	4005662		1.25"
Tantrum Blue Kit	4005372		1.25"
Tantrum Green Kit	4005396		1.25"
Tantrum Red Kit	4005389		1.25"
Tantrum Red Kit	4005419	0	1.25"
Tantrum Multi Kit	4005679		1.25"

TANTRUM | SINGLE ROCK LIGHT



Features:

70 Lumens Per Pod 5 Color Options 10ft. Power Cord Acrylic Lens

DESCRIPTION	PART#	COLOR	SIZE
Tantrum Amber Pod	4004078		1.25"
Tantrum Blue Pod	4004139		1.25"
Tantrum Green Pod	4004146		1.25"
Tantrum Red Pod	4004061		1.25"
Tantrum White Pod	4004054	0	1.25"



At Vision X we leave no part of the vehicle behind. From roof racks to rear bumpers, we have an LED lighting solutions that will light up any scene around your vehicle turning your dark areas into daytime. We offer a wide range of sizes, outputs, and beam patterns for any work/area lighting application.

- 60 Overland Series Area Light
- **62** Duralux Work Light Series
- 64 VL-Series Light Duty







LIGHT UP YOUR ADVENTURE

The all-new Overland light is the perfect way to light up your campsite on your overland vehicle. You can easily attach the Overland light at multiple points on your vehicle to light up your campsite or a stopping point on the trail. With their low profile design, the Overland light mounts perfectly beneath most rack systems using 60°/40° flood optics perfect for area lighting. With only 15 watts of draw pushing a massive 1,140 lumens you can easily light up a campsite for hours without running your vehicle and enjoy the serenity of nature. Watertight and dust proof, the vented housing prevents moisture buildup making these the perfect area lighting for your overland vehicle.













MIXED FLOOD OPTICS

Equipped with a mix of 60° and 40° Flood optics, the Overland Area Light is ideal for any scene lighting application.


HEAVY DUTY ADJUSTABLE BRACKET

The powder coated steel bracket allows for up and down mounting height adjstments as well as up and down light angle adjustments.

COMPACT HOUSING DESIGN

The slim rectangle designs makes the Overland Area Light perfect size for roof racks or tight spaces around your vehicle.








OVERLAND AREA LIGHT | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.

PART#	DESCRIPTION	RAW Lumens	DISTANCE	WATTS	AMP DRAW @12V	DIMENSIONS	BEAM
9933665	Overland Area Light	1,140	164ft.	15W	1.25A	4.69"x2.01"x2.83"	Flood
9944845	Overland Area Light Kit	2,280	164ft.	30W	2.5A	4.69"x2.01"x2.83"	Flood
9944708	Overland Area Reverse Light Kit	2,280	164ft.	30W	2.5A	4.69"x2.01"x2.83"	Flood





RUGGED & RELIABLE LIGHT OUTPUT

The Duralux Series was designed with vehicles in mind. The sleek and compact housing coupled with either 4 or 6 high output LEDs makes it the perfect light for any automotive application. From fog lights to roof rack and reverse lighting, the Duralux Series combines durability with affordability to create the ultimate lighting solution for any vehicle.













ULTRA RUGGED HOUSING DESIGN

Designed to take a beating, the Duralux housing features a robust powder coated steel bracket and reinforced polycarbonate lens.


MULTIPLE BEAM PATTERN OPTIONS

The Duralux series utilizes our advanced optic design that comes in a variety of beam patterns ranging from spot and mixed beam to flood beam.

FLUSH MOUNTING OPTIONS (See p.87)









2.75" DURA MINI Flood Beam



2.75" DURA M4M Mixed Beam



4.0" DURA 4 Broad Spot, Med. Flood, Flood



5.5" DURA 6 Broad Spot, Med. Flood, Flood

DURALUX SERIES | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.

· · · · · · · · · · · · · · · · · · ·				DIMENSIONS	BEAM
Mini 2	2,000	12W	1.0A	2.76"x1.94"x3.62"	Flood
M4M 2	2,115	20W	1.67A	2.76"x1.94"x3.62"	Mixed
M4M Kit 4	1,230	10W :	3.33A	2.76"x1.94"x3.62"	Mixed
4 Spot 2	2,112	20W	1.67A	3.94"x2.57"x3.94"	Broad Spot
4 Spot Kit 4	1,224	10W :	3.33A	3.94"x2.57"x3.94"	Broad Spot
4 Med. Flood	2,112	20W	1.67A	3.94"x2.57"x3.94"	Med Flood
4 Med. Flood Kit 2	2,112	20W	1.67A	3.94"x2.57"x3.94"	Med Flood
4 Flood 2	2,112 2	20W	1.67A	3.94"x2.57"x3.94"	Flood
4 Flood Kit	3,696	30W	2.5A	3.94"x2.57"x3.94"	Broad Spot
6 Spot 7	7,392	60W	5.0A	5.38"x2.72"x4.19"	Broad Spot
6 Med Flood 3	3,696	30W	2.5A	5.38"x2.72"x4.19"	Med Flood
6 Flood 3	3,696	30W	2.5A	5.38"x2.72"x4.19"	Flood
	CRIPTION LU Mini 2 M4M 2 M4M Kit 4 4 Spot 2 4 Spot Kit 4 4 Med. Flood 2 4 Flood Kit 2 4 Flood Kit 3 6 Spot 7 6 Med Flood 3	Mini 2,000 M4M 2,115 M4M Kit 4,230 4 Spot 2,112 4 Spot Kit 4,224 4 Med. Flood 2,112 4 Med. Flood Kit 2,112 4 Flood 2,112 4 Flood Kit 3,696 6 Spot 7,392 6 Med Flood 3,696	CRIPTION LUMENS WATTS Mini 2,000 12W M4M 2,115 20W M4M Kit 4,230 40W 4 Spot 2,112 20W 4 Spot Kit 4,224 40W 4 Med. Flood 2,112 20W 4 Flood Kit 2,112 20W 4 Flood Kit 3,696 30W 6 Spot 7,392 60W 6 Med Flood 3,696 30W	CRIPTION LUMENS WATTS @12V Mini 2,000 12W 1.0A M4M 2,115 20W 1.67A M4M Kit 4,230 40W 3.33A 4 Spot 2,112 20W 1.67A 4 Spot Kit 4,224 40W 3.33A 4 Med. Flood 2,112 20W 1.67A 4 Med. Flood Kit 2,112 20W 1.67A 4 Flood Kit 3,696 30W 2.5A 6 Spot 7,392 60W 5.0A 6 Med Flood 3,696 30W 2.5A	CRIPTION LUMENS WATTS @12V DIMENSIONS Mini 2,000 12W 1.0A 2.76"x1.94"x3.62" M4M 2,115 20W 1.67A 2.76"x1.94"x3.62" M4M Kit 4,230 40W 3.33A 2.76"x1.94"x3.62" 4 Spot 2,112 20W 1.67A 3.94"x2.57"x3.94" E 4 Spot Kit 4,224 40W 3.33A 3.94"x2.57"x3.94" E 4 Med. Flood 2,112 20W 1.67A 3.94"x2.57"x3.94" E 4 Flood Kit 2,112 20W 1.67A 3.94"x2.57"x3.94" E 4 Flood Kit 3,696 30W 2.5A 3.94"x2.57"x3.94" E 6 Spot 7,392 60W 5.0A 5.38"x2.72"x4.19" E 6 Med Flood 3,696 30W 2.5A 5.38"x2.72"x4.19"





VERSATILITY MEETS LIGHT OUTPUT

The VL-Series LED Light Duty offers outstanding light output in a functional design which can be easily adjusted with the single bolt bracket. High quality construction and components enables the VL-Series LED Light Duty lights to withstand vibration up to 15.6 Grms. Built-in reverse polarity protection helps prevent accidental damage caused by incorrect installation. VL-Series LED Light Duty work lighting is a high value, versatile range designed for many light duty commercial applications.













ULTRA BRIGHT CREE LEDS

Utilizing 5W Cree LEDS, the VL-Series Lights pump out 106 Lumens per watt.


FLOOD OPTICS

Each LED has a 40° flood optic that allows for each light to produce a wide spread beam.

UNIVERSAL MOUNTING

The single bolt mounting system allows for simple and easy placement.





VL-SERIES WORK LIGHTS ORDERING | SPECIFICATIONS AND ORDERING INFORMATION

"Kits" include (2) lights and a wiring harness complete with relays and a lighted rocker switch. Singles will include a pigtail only.

PART#	DESCRIPTION	LEDS	RAW Lumens	WATTS	AMP Draw@12V	DIMENSIONS	BEAM
9911373	9 LED Square W/ Deutsch Connector	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med. Flood
9911366	6 LED Square W/ Deutsch Connector	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med. Flood
9911311	9 LED Square No Connector, Raw Wire	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med. Flood
9911304	6 LED Square No Connector, Raw Wire	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med. Flood
9927091	5 LED Square No Connector, Raw Wire	5	2,294	20W	1.67A	4.33"x5.16"x2.33"	Med. Flood
9927060	4 LED Square No Connector, Raw Wire	4	1,544	12W	1.0A	2.76"x3.58"x1.57"	Med. Flood
9911359	9 LED Round W/ Deutsch Connector	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med. Flood
9911342	6 LED Round W/ Deutsch Connector	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med. Flood
9911298	9 LED Round No Connector, Raw Wire	9	4,752	45W	3.75A	4.33"x5.16"x2.33"	Med. Flood
9911281	6 LED Round No Connector, Raw Wire	6	3,168	30W	2.5A	4.33"x5.16"x2.33"	Med. Flood
9927084	5 LED Round No Connector, Raw Wire	5	2,294	20W	1.67A	4.33"x5.16"x2.33"	Med. Flood
9911335	8 LED Oval W/ Deutsch Connector	8	4,224	40W	3.33A	5.59"x4.39"x2.21"	Med. Flood
9911328	6 LED Oval W/ Deutsch Connector	6	3,168	30W	2.5A	5.59"x4.39"x2.21"	Med. Flood
9911274	8 LED Round No Connector, Raw Wire	8	4,224	40W	3.33A	5.59"x4.39"x2.21"	Med. Flood
9911267	6 LED Round No Connector, Raw Wire	6	3,168	30W	2.5A	5.59"x4.39"x2.21"	Med. Flood

VEHICLE SPECIFIC

From LED fog lights and bumper light bar kits, to retrofit LED headlights and reverse lighting kits, we strive to make upgrading your vehicles lighting as simple and effective as possible. Our LED lighting solutions are engineered to be complete bolt-on kits that utilize only the best and brightest lights from our lighting ranges.

68 Jeep Lighting Kits

70 Ford Lighting Kits

72 Toyota Lighting Kits

74 UTV Lighting Kits

76 VX Grilles

78 Halogen Sealed Beam & Bulbs



SCAN TO VIEW ALL KITS

MORE KITS AVAILABLE!

Your vehicle not listed? You still may be in luck. We offer a wide variety of applications specific LED lighting kits and not all of them could be shown in this catalog.

FOR COMPLETE LIST OF ALL OF OUR APPLICATIONS VISIT VISIONXOFFROAD.COM





JEEP | LED HEADLIGHT KITS





JEEP HEADLIGHT | KITS

The DOT Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

JEEP INTEGRATED CANBUS

All Jeep Model Headlight kits now come standard with the Anti-Flicker Canbus integrated into the housing with a H13 Plug.







WHITE HALO / BLACK CHROME JL/JT Shown: 9944494











AMBER HALO / BLACK CHROME JL/JT Shown: 9944517

JEEP LED HEADLIGHT KITS | SPECIFICATIONS AND ORDERING INFORMATION

All Jeep Headlight kits will include a pair of 7" VX Series LED headlights with H13 Connectors.

PART#	DESCRIPTION	HAL0	FINISH	INCLUDES
9944487	'18+ Jeep JL / '20+ JT (Gladiator) LED Headlight Kit	White	Chrome	(2) VX 7" LED Headlights (pg.50), Retrofit Brackets
9944494	'18+ Jeep JL / '20+ JT (Gladiator) LED Headlight Kit	White	Black Chrome	(2) VX 7" LED Headlights (pg.50), Retrofit Brackets
9944500	'18+ Jeep JL / '20+ JT (Gladiator) LED Headlight Kit	Amber	Chrome	(2) VX 7" LED Headlights (pg.50), Retrofit Brackets
9944517	'18+ Jeep JL / '20+ JT (Gladiator) LED Headlight Kit	Amber	Black Chrome	(2) VX 7" LED Headlights (pg.50), Retrofit Brackets
9892733	'07-'17 Jeep JK LED Headlight Kit	White	Chrome	(2) VX 7" LED Headlights (pg.50)
9892825	'07-'17 Jeep JK LED Headlight Kit	White	Black Chrome	(2) VX 7" LED Headlights (pg.50)
9917566	'07-'17 Jeep JK LED Headlight Kit	Amber	Chrome	(2) VX 7" LED Headlights (pg.50)
9917573	'07-'17 Jeep JK LED Headlight Kit	Amber	Black Chrome	(2) VX 7" LED Headlights (pg.50)

JEEP | LED LIGHTING KITS



50" WINDSHIELD BRACKETS 9888422



3.7" CG2 FOG LIGHT KIT BROAD SPOT BEAM | 5340160 MULTIPLE OPTIONS



DURA MINI REVERSE KIT FLOOD BEAM | 5340160



4.7" CG2 A-PILLAR KIT EXTREME SPOT BEAM | 5340160 MULTIPLE OPTIONS

JEEP LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

PART#	DESCRIPTION	LIGHTS INCLUDED	LUMENS	BEAM
5504180	'18+ Jeep JL Fog Light Brackets	None - Brackets Only		
5504184	'18+ Jeep JL Fog Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5504183	'18+ Jeep JL Fog Light Kit	(2) 3.7" Selective Yellow CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5504187	'18+ Jeep JL Fog Light Kit	(2) 3.7" CG2 SAE Mini Cannons (pg.14)	4,320	Broad Spot
5504188	'18+ Jeep JL Fog Light Kit	(2) 3.7" Selective Yellow CG2 SAE Mini Cannons (pg.14)	4,320	Broad Spot
5504186	'18+ Jeep JL Fog Light Kit	(2) 3.7" Optimus White Halo (pg.22)	2,140	Extreme Spot
5509180	'18+ Jeep JL(Metal Bumper) Fog Light Brackets	None - Brackets Only		
5509184	'18+ Jeep JL(Metal Bumper) Fog Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5509183	'18+ Jeep JL(Metal Bumper) Fog Light Kit	(2) 3.7" Selective Yellow CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5509187	'18+ Jeep JL(Metal Bumper) Fog Light Kit	(2) 3.7" CG2 SAE Mini Cannons (pg.14)	4,320	Broad Spot
5509188	'18+ Jeep JL(Metal Bumper) Fog Light Kit	(2) 3.7" Selective Yellow CG2 SAE Mini Cannons (pg.14)	4,320	Broad Spot
5509186	'18+ Jeep JL(Metal Bumper) Fog Light Kit	(2) 3.7" Optimus White Halo (pg.22)	2,140	Extreme Spot
9154664	'10-'17 Jeep JK Fog Light Kit Brackets	None - Brackets Only		
5504104	'10-'17 Jeep JK Fog Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5504103	'10-'17 Jeep JK Fog Light Kit	(2) 3.7" Selective Yellow CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5504107	'10-'17 Jeep JK Fog Light Kit	(2) 3.7" CG2 SAE Mini Cannons (pg.14)	4,320	Broad Spot
5504108	'10-'17 Jeep JK Fog Light Kit	(2) 3.7" Selective Yellow CG2 SAE Mini Cannons (pg.14)	4,320	Broad Spot
9891828	'10-'17 Jeep JK Fog Light Kit	(2) 3.7" Optimus White Halo (pg.22)	2,140	Extreme Spot
5691200	'20 + Jeep JT (Gladiator) Reverse Kit Brackets	None - Brackets Only		
5691202	'20 + Jeep JT (Gladiator) Reverse Light Kit	(2) Dura Mini Flood (pg.62)	4,000	Flood
5544180	'18+ Jeep JL / '20+ JT (Gladiator) A-Pillar Brackets	None - Brackets Only		
5544181	'18+ Jeep JL / '20+ JT (Gladiator) A-Pillar Light Kit	(2) 3.0" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5544182	'18+ Jeep JL / '20+ JT (Gladiator) A-Pillar Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5544185	'18+ Jeep JL / '20+ JT (Gladiator) A-Pillar Light Kit	(2) 4.7" CG2 Multi-LED Light Cannons (pg.18)	10,500	Broad Spot
5544186	'18+ Jeep JL / '20+ JT (Gladiator) A-Pillar Light Kit	(2) 4.7" CG2 Single-LED Light Cannons (pg.18)	10,500	Extreme Spot
9888392	'07-'17 Jeep JK A-Pillar Brackets	None - Brackets Only		
5544071	'07-'17 Jeep JK A-Pillar Light Kit	(2) 3.0" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5544072	'07-'17 Jeep JK A-Pillar Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
9950754	'07-'17 Jeep JK A-Pillar Light Kit	(2) 4.7" CG2 Multi-LED Light Cannons (pg.18)	10,500	Broad Spot
5544076	'07-'17 Jeep JK A-Pillar Light Kit	(2) 4.7" CG2 Single-LED Light Cannons (pg.18)	6,000	Extreme Spot
9888422	'07-'17 Jeep JK Windshield Bracket Kit	None - Brackets Only (Will fit any 50" Light Bar)		



FORD BRONCO | LED LIGHTING KITS



UNITE FOG LIGHT BRACKET KIT (LIGHTS NOT INCLUDED) | 5005210 CHOOSE YOUR UNITE PODS



40" UNITE ROOF MOUNTING KIT (LIGHT BAR NOT INCLUDED) | 5035210 CHOOSE OR BUILD YOUR UNITE LIGHT BAR



4.7" CG2 A-PILLAR KIT BROAD SPOT BEAM | 5045215 MULTIPLE OPTIONS

FORD BRONCO (FULL SIZE) LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

PART#	DESCRIPTION	LIGHTS INCLUDED	LUMENS	BEAM
5005210	'21+ Ford Bronco Fog Light Brackets	None - Brackets Only. Fits any Unite Pod (pg.28)		
5035210	'21+ Ford Bronco Roof Mount Brackets	None - Brackets Only. Fits any 40" Straight Unite Bar (pg.29)		
5045210	'21+ Ford Bronco A-Pillar Brackets	None - Brackets Only		
5045211	'21+ Ford Bronco A-Pillar Kit	(2) 3.0" Square CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5045212	'21+ Ford Bronco A-Pillar Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5045215	'21+ Ford Bronco A-Pillar Kit	(2) 4.7" CG2 Multi-LED Light Cannons (pg.18)	10,500	Broad Spot
5045216	'21+ Ford Bronco A-Pillar Kit	(2) 4.7" CG2 Single-LED Light Cannons (pg.18)	4,500	Extreme Spot



FORD RANGER | LED LIGHTING KITS



19" XPR BUMPER KIT
EXTREME SPOT BEAM | 5010198
MULTIPLE OPTIONS



4.7" CG2 A-PILLAR KIT BROAD SPOT BEAM | 5040194

MULTIPLE **OPTIONS**







3.0" CG2 FOG LIGHT KIT BROAD SPOT BEAM | 5000194

MULTIPLE **OPTIONS**

FORD RANGER LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

PART#	DESCRIPTION	LIGHTS INCLUDED	LUMENS	BEAM
5010190	'19+ Ford Ranger Bumper Brackets	None - Brackets Only		
5010192	'19+ Ford Ranger Bumper Light Bar Kit	21" XPL Halo Lo-Pro Light Bar (pg.39)	8,025	Extreme Spot
5010198	'19+ Ford Ranger Bumper Light Bar Kit	19" XPR Halo Light Bar (pg.42)	9,711	Combo
5040190	'19+ Ford Ranger A-Pillar Brackets	None - Brackets Only		
5040192	'19+ Ford Ranger A-Pillar Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5040193	'19+ Ford Ranger A-Pillar Light Kit	(2) 3.0" Square CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5040194	'19+ Ford Ranger A-Pillar Light Kit	(2) 4.7" CG2 Multi-LED Light Cannons (pg.18)	10,500	Broad Spot
5040195	'19+ Ford Ranger A-Pillar Light Kit	(2) 4.7" CG2 Single-LED Light Cannons (pg.18)	4,500	Extreme Spot
5000190	'19+ Ford Ranger Fog Light Brackets	None - Brackets Only		
5000196	'19+ Ford Ranger Fog Light Kit	(2) 3.0" Optimus White Halo (pg.23)	2,140	Spot
5000194	'19+ Ford Ranger Fog Light Kit	(2) 3.0" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5000193	'19+ Ford Ranger Fog Light Kit	(2) 3.0" Selective Yellow CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5000197	'19+ Ford Ranger Fog Light Kit	(2) 3.0" SAE CG2 Mini Cannons (pg.18)	4,320	Elliptical SAE
5000198	'19+ Ford Ranger Fog Light Kit	(2) 3.0" SAE Selective Yellow CG2 Mini Cannons (pg.18)	4,320	Elliptical SAE



TOYOTA TACOMA | LED LIGHT KITS



30" XPL FRONT BUMPER KIT SPOT BEAM | 5310162



4.7" CG2 A-PILLAR KIT BROAD SPOT BEAM | 5340164 MULTIPLE OPTIONS



3.7" CG2 A-PILLAR KIT BROAD SPOT BEAM | 5340163 MULTIPLE OPTIONS

TOYOTA TACOMA LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

PART#	DESCRIPTION	LIGHTS INCLUDES	LUMENS	BEAM
5310160	'16+ Toyota Tacoma Front Bumper Brackets	Brackets Only		
5310162	'16+ Toyota Tacoma Front Bumper Light Bar Kit	32" XPL Halo Light Bar (pg.39)	12,840	Extreme Spot
5340160	'16+ Toyota Tacoma A-Pillar Brackets	None - Brackets Only		
5340163	'16+ Toyota Tacoma A-Pillar Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5340164	'16+ Toyota Tacoma A-Pillar Light Kit	(2) 4.7" CG2 Multi-LED Light Cannons (pg.18)	10,500	Broad Spot
5340162	'16+ Toyota Tacoma A-Pillar Light Kit	(2) 3.0" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5340165	'16+ Toyota Tacoma A-Pillar Light Kit	(2) 4.7" CG2 Single-LED Light Cannons (pg.18)	6,000	Extreme Spot



TOYOTA 4-RUNNER | LED LIGHT KITS



3.7" CG2 A-PILLAR KIT BROAD SPOT BEAM | 5345103 MULTIPLE OPTIONS



4.7" CG2 A-PILLAR KIT BROAD SPOT BEAM | 5345104 MULTIPLE OPTIONS



DUAL 9" XPL GRILLE KIT BROAD SPOT BEAM | 5375146 MULTIPLE OPTIONS

TOYOTA 4-RUNNER LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

All vehicle specific lighting "kits" are complete bolt-on kits that include lights, powder coated steel brackets, mounting hardware, and either fog light connectors (if applicable) or a wiring harness complete with relays and a lighted rocker switch.

PART#	DESCRIPTION	LIGHTS INCLUDES	LUMENS	BEAM
5375140	'14-'20 Toyota 4-Runner Behind the Grille Brackets	None - Brackets Only		
5375146	'14-'20 Toyota 4-Runner Behind the Grille Light Bar Kit	(2) 9" XPL Halo Light Bars (pg.39)	6,420	Extreme Spot
5375144	'14-'20 Toyota 4-Runner Behind the Grille Light Bar Kit	(2) 9" Selective Yellow XPL Halo Light Bars (pg.39)	6,420	Extreme Spot
5345100	'10-'20 Toyota 4-Runner A-Pillar Brackets	None - Brackets Only		
5345103	'10-'20 Toyota 4-Runner A-Pillar Light Kit	(2) 3.7" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5345104	'10-'20 Toyota 4-Runner A-Pillar Light Kit	(2) 4.7" CG2 Multi-LED Light Cannons (pg.18)	10,500	Broad Spot
5345102	'10-'20 Toyota 4-Runner A-Pillar Light Kit	(2) 3.0" CG2 Multi-LED Mini Cannons (pg.18)	4,500	Broad Spot
5345105	'10-'20 Toyota 4-Runner A-Pillar Light Kit	(2) 4.7" CG2 Single-LED Light Cannons (pg.18)	6,000	Broad Spot



POLARIS RZR | LED LIGHT KITS



'08+ RZR 900 HALO HEADLIGHT KIT EXTREME SPOT BEAM | 9898605



14+ RZR 1000 CG2 HEADLIGHT KITMIXED SPOT/BROAD SPOT BEAM | 6082134

MULTIPLE **OPTIONS**



'14+ RZR 30" XPR HALO ROOF LIGHT BAR KITCOMBO BEAM | 6032141

MULTIPLE **OPTIONS**

POLARIS RZR LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

All vehicle specific lighting "kits" are complete bolt-on kits that include lights, powder coated steel brackets, mounting hardware, and either fog light connectors (if applicable) or a wiring harness complete with relays and a lighted rocker switch.

PART#	DESCRIPTION	LIGHTS INCLUDES	LUMENS	BEAM
9897509	'14+ RZR 1000/XP/Turbo S Headlight Brackets	None - Brackets Only		
6082134	'14+ RZR 1000/XP/Turbo S Headlight Kit	(2) 3.7" CG2 Multi-LED (2) 3.7" CG2 Single-LED (pg.18)	6,640	Mixed Spot / Broad Spot
9898520	'14+ RZR 1000/XP/Turbo S Headlight Kit	(4) 3.7" Optimus White Halo (pg.23)	4,280	Extreme Spot
9898643	'08+ RZR 900/S/4/570/170 Headlight Brackets	None - Brackets Only		
6082084	'08+ RZR 900/S/4/570/170 Headlight Kit	(2) 3.0" CG2 Multi-LED (2) 3.0" CG2 Single-LED (pg.18)	6,640	Mixed Spot / Broad Spot
9898605	'08+ RZR 900/S/4/570/170 Headlight Kit	(4) 3.0" Optimus White Halo (pg.23)	4,280	Extreme Spot
6032140	'14+ RZR Stock Cage Roof Light Bar Brackets	None - Brackets Only		
6032141	'14+ RZR Stock Cage Roof Light Bar Kit	30" XPR Halo Light Bar	16,185	Combo



CAM-AM X3 | LED LIGHT KITS



ROOF CG2 CANNON RACK 6232163



40" XPR HALO ROOF LIGHT BAR KIT COMBO BEAM | 6232162



SHOCK TOWER 12" XPR LIGHT BAR KIT SPOT BEAM | 6222163 MULTIPLE OPTIONS

CAN-AM MAVERICK X3 LED LIGHTING KITS | SPECIFICATIONS AND ORDERING INFORMATION

All vehicle specific lighting "kits" are complete bolt-on kits that include lights, powder coated steel brackets, mounting hardware, and either fog light connectors (if applicable) or a wiring harness complete with relays and a lighted rocker switch.

PART#	DESCRIPTION	LIGHTS INCLUDES	LUMENS	BEAM
6232165	'16+ Mav. X3 Stock Cage W/O Windshield Light Bar Bracket	None - Brackets Only (Fits any 50" UNITE Light Bar)		
6232163	'16+ Mav. X3 Roof Cannon Rack Bracket	None - Brackets Only (Fits 6 - 4.7" CG2 Cannons)		
6232161	'16+ Mav. X3 Stock Cage W/O Windshield Light Bar Bracket	None - Brackets Only		
6232162	'16+ Mav. X3 Stock Cage W/O Windshield Light Bar Kit	40" XPR Halo Light Bar	22,659	Combo
6222161	'16+ Mav. X3 Shock Tower Mount Bracket	None - Brackets Only		
6222162	'16+ Mav. X3 Shock Tower Light Bar Kit	12" XPR-S Halo Light Bar	6,474	Extreme Spot
6222164	'16+ Mav. X3 Shock Tower Light Bar Kit	13" XPL Halo Low-Profile Light Bar	4,815	Extreme Spot
6222163	'16+ Mav. X3 Shock Tower Light Bar Kit	12" Selective Yellow XPR-S Halo Light Bar	6,474	Extreme Spot
6222165	'16+ Mav. X3 Shock Tower Light Bar Kit	13" Selective Yellow XPL Halo Low-Profile Light Bar	4,815	Extreme Spot
6222166	'16+ Mav. X3 Shock Tower Light Bar Kit	12" Shocker Dual Action Light Bar	9,970	Dual Spot/Elliptical



VX GRILLES | FULL REPLACEMENTS



CG2 LIGHT CANNON | OPTION

FEATURING CG2 4.7" LIGHT CANNONS

The CG2 Light Cannons is Vision X's latest and greatest of the Light Cannon series. This configuration combines the distance of the big chip single source CG2 Cannon with the massive light output of the multi-LED version. The pairing of these two lights creates an unheard of amount of brightness and distance ideal for any situation.





XPR LIGHT BAR | OPTION

FEATURING XPR-9M LIGHT BAR

Utilizing top-binned 10-Watt LEDs and large proprietary 1.5" diameter IRIS Reflectors, the XPR-9M Light Bar is capable of reaching a staggering 1,365 feet of usable light. This unmatched long-distance projection is also accompanied by precisely tilted IRIS Reflectors that create a unique combination beam pattern to provide even more visibility at the road's edge.





MORE GRILLES AVAILABLE!

Your vehicle not listed? You still may be in luck. We offer a wide variety of Grille LED lighting kits and not all of them could be shown in this catalog.

FOR COMPLETE LIST OF ALL OF OUR APPLICATIONS VISIT VISIONXOFFROAD.COM

CHEVY MODELS	LIGHT CANNON GRILLE PART #	XPR LIGHT BAR GRILLE PART #
'15-19 Chevy Silverado 2500/3500	5162154	5162151
'11-14 Chevy Silverado 2500/3500	5162114	5162111
'16-18 Chevy Silverado 1500	5161164	5161161
'14-15 Chevy Silverado 1500	5161144	5161141
'14-15 Chevy Silverado 1500 Z71	5169144	5169141
DODGE MODELS	LIGHT CANNON GRILLE PART #	XPR LIGHT BAR GRILLE PART #
'13-18 Dodge Ram 2500/3500	5662134	5662131
'13-18 Dodge Ram 1500	5661134	5661131
GMC MODELS	LIGHT CANNON GRILLE PART #	XPR LIGHT BAR GRILLE PART #
'15-19 GMC Sierra 2500/3500	5262154	5262151
'19+ GMC Sierra 1500	5261194	
'16-18 GMC Sierra 1500	5261164	5261161
FORD MODELS	LIGHT CANNON GRILLE PART #	XPR LIGHT BAR GRILLE PART #
'20-22 Ford SuperDuty	5062204	5061201
17-19 Ford SuperDuty	5062174	5062171
'18-20 Ford F-150	5062184	5061180
'15-17 Ford F-150	5061154	5061151
TOYOTA MODELS	LIGHT CANNON GRILLE PART #	XPR LIGHT BAR GRILLE PART #
'14-17 Toyota Tundra	5361143	5361141
'16-18 Toyota Tacoma	5360163	5360161
'12-15 Toyota Tacoma	5360123	5360121





SEALED BEAM DIRECT REPLACEMENT

The Sealed Beam Housing are the perfect upgrade to your OEM headlight. The die-cast housing are constructed with a Borosilicate glass lens which provide a tougher alternative to the stock plastic lens. Coupled with the advanced multi-surface reflector, the Sealed Beam Headlight series are made to last.

*Bulb Not Included

ROUND 7.0" | 5.75"



ROUND MODEL

PART#	SIZE	BULB TYPE
4004047	7.0"	H4
4004030	5.75"	9007

SQUARE 5x7" | 4x6"



SQUARE MODEL

PART#	SIZE	BULB TYPE
4004023	5x7"	H4
4004016	4x6"	9007



VX-DH3 | 60/66W





VX-DH1 | 55W



VX-D9007 | 65/55W



VX-D9006 | 55W



VX-D9005 | 65W



VX-D9004 | 65/45W



VX-DH13 | 55/60W





VX-DH11 | 55W









VX-DH4 | 60/55W

HALOGEN BULBS FOR BRIGHTER AND WHITER LIGHT

Increase brightness by up to 50% with the Vision X headlight bulbs. Vision X headlight bulbs provide a more natural light for increased visibility and safety. With three lines to choose from, we offer the perfect mix of cost and performance for any driver.

Unlike other Halogen Bulbs on the market, Vision X D-Series bulbs are DOT Approved and offer a lifetime warranty. Enhance your night time driving experience while cooperating with all laws and regulations.

* For H&L Series Bulbs refer to website for Part #s.

PART#	REPLACES	FILAMENT
4001527	9004	DUAL
4001534	9005	SINGLE
4001558	9006	SINGLE
4001572	9007	DUAL
4001589	H1	SINGLE
4001596	Н3	SINGLE
4001602	H4	DUAL
4001619	H7	SINGLE
4001633	H10	SINGLE
4001657	H11	SINGLE
4001664	H13	DUAL







25 LIGHTS IN 1

Each Light Cannon is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR | PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.



AMBER | FOG

Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.



BLUE | SNOW


Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter conditions.



RED | DUST

Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS





Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.

СОМВО

Combo covers combine the distance of a spot cover with the added peripheral illumination of a elliptical cover.

EUR0

Illuminate some peripherals while maintaining effective distance.

ELLIPTICAL

Reduces peripheral illumination while losing minor distance.

WIDE FLOOD

Maximum wide field of view illumination in exchange for distance.

TRAIL FLOOD

Maximum vertical field of view illumination in exchange for distance.



COLOR / BEAM	3.7" PART#	4.7" PART#	6.7" PART#	8.7" PART#
Blackout	9889580	9157450	9160245	9890876

BLACKOUT | PROTECTIVE



CLEAR | PROTECTIVE

COLOR / BEAM	3.7" PART#	4.7" PART#	6.7" PART#	8.7" PART#
Clear Spot	9889528	9151151	4003248	4003255
Clear Combo	N/A	9896632	9895703	9896663
Clear Euro	9889535	9151243	9888453	9890128
Clear Trail Flood	9889542	9151335	9888491	9890135
Clear Wide Flood	9890944	9890562	9888771	9890463
Clear Elliptical	9890913	9890661	9890616	9890081



AMBER | FOG

COLOR / BEAM	3.7" PART#	4.7" PART#	6.7" PART#	8.7" PART#
Amber Spot	9889740	9157726	4002784	4002791
Amber Combo	N/A	9896656	9895734	9896694
Amber Euro	9889757	9157818	9888484	9890470
Amber Trail Flood	9889764	9157900	9888521	9890487
Amber Wide Flood	9890968	9890586	9889801	9890142
Amber Elliptical	9890951	9890579	9890630	9890159



BLUE | SNOW

	COLOR / BEAM	3.7" PART#	4.7" PART#	6.7" PART#	8.7" PART#
	Blue Spot	9889559	9157184	4003569	4003583
	Blue Combo	N/A	9896700	9895710	9896670
_	Blue Euro	9889566	9157276	9888460	9890098
	Blue Trail Flood	9889573	9157368	9888507	9890104
	Blue Wide Flood	9890906	9890654	9889788	9890111
	Blue Elliptical	9890890	9890647	9890609	9890869



RED | DUST

COLOR / BEAM	3.7" PART#	4.7" PART#	6.7" PART#	8.7" PART#
Red Spot	9889719	9162492	4004689	4003576
Red Combo	N/A	9896649	9895727	9896687
Red Euro	9889726	9157542	9888477	9890432
Red Trail Flood	9889733	9157634	9888514	9890449
Red Wide Flood	9890937	9890883	9889795	9890456
Red Elliptical	9890920	9890678	9890623	9890425

XPR/XPR-S | BLACKOUT

VISION & LIGHTING


PART#	DESCRIPTION
9898797	6" XPR / XPR-S Blackout Cover
9898803	12" XPR / XPR-S Blackout Cover
9898810	19" XPR / XPR-S Blackout Cover
9898728	24" XPR / XPR-S Blackout Cover
9898735	30" XPR / XPR-S Blackout Cover
9898742	34" XPR / XPR-S Blackout Cover
9898759	40" XPR / XPR-S Blackout Cover
9898766	45" XPR / XPR-S Blackout Cover
9898773	51" XPR / XPR-S Blackout Cover

XPL LIGHT BAR | BLACKOUT

AIRION U FIGHTING	
PART#	DESCRIPTION
9931654	6" XPL Black Out Cover
9931678	10" XPL Black Out Cover
9931692	13" XPL Black Out Cover
9931579	20" XPL Black Out Cover
9931593	32" XPL Black Out Cover
9931616	40" XPL Black Out Cover
9931630	51" XPL Black Out Cover

XPL LIGHT BAR | AMBER

PART#	DESCRIPTION
9931661	6" XPL Amber Cover
9931685	10" XPL Amber Cover
9931708	13" XPL Amber Cover
9931586	20" XPL Amber Cover
9931609	32" XPL Amber Cover
9931623	40" XPL Amber Cover
9931647	51" XPL Amber Cover





SELECTIVE YELLOW LENS KITS

The selective yellow lens transforms your Vision X light to be able to cut through any harsh weather conditions and allows you to see further than you would with traditional white lighting. Whether its dust kick-up from the trails or a foggy night, the selective yellow lens will help you maintain maximum visibility without sacrificing light output.

PART#	DESCRIPTION
9946894	Single Selective Yellow Lens for 3.0-3.7" CG2 or Optimus Pod Lights
9946900	(2) Selective Yellow Lenses for 3.0-3.7" CG2 or Optimus Pod Lights
9946818	Single Selective Yellow Lens for 4.7" CG2 Pod Lights
9946825	(2) Selective Yellow Lenses for 4.7" CG2 Pod Lights
9946832	Single Selective Yellow Lens for 6.7" CG2 or ADV Pod Lights
9946849	(2) Selective Yellow Lenses for 6.7" CG2 or ADV Pod Lights
9946856	Single Selective Yellow Lens for 8.7" CG2 or ADV Pod Lights
9946863	(2) Selective Yellow Lenses for 8.7" CG2 or ADV Pod Lights



3.0"-3.7" Single: 9946894 **Pair:** 9946900



4.7" Single: 9946818 Pair: 9946825




6.7" Single: 9946832 **Pair**: 9946849



6.7" Single: 9946856 **Pair:** 9946863







PRIME DIMMER | MODULE

PART#	DESCRIPTION	DIMMER RANGE
4009257	Dimmer Controller With Dial Knob	50% - 100%
4009264	Dimmer Controller With Button	50% Or 100%



VX HEADLIGHT | ADAPTERS

PART# DESCRIPTION		FUNCTION	
9895475	Hi4 Headlight Adapter	Engages all three beam modes at once for maximum visibility	
9932590	Hi4 Headlight Adapter for Jeep JK	Engages all three beam modes at once for maximum visibility w/H13 Jeep JK Plugs (Pair)	
9898476	Anti-Flicker Headlight Canbus Adapter	Prevents flickering w/H13 Plugs. Allows for use with Jeep JK for non Jeep Specific Headlights to Prevent flickering. (w/H13 Plugs)	



UNIVERSAL HARNESSES | WIRING

PART#	DESCRIPTION
4006201	2 Light Wiring Harness
4006195	Single Light Wiring Harness (Low Amp)
9888354	Single Light Wiring Harness (High Amp)
4006263	"Y" 2 Light Splitter Adapter
4006218	Single Light Cigarette Adapter





LICENSE PLATE MOUNT | KIT

The License Plate Mount makes it easy to add any 12" Vision X LED Light Bar, meaning that you can add up to 4,700 lumens to your vehicle with no drill holes or mess.

PART#	DESCRIPTION
4000308	License Plate Bracket Only



WINCH MOUNT | KITS

The Vision X 6" and 10" winch mount allows you to add any 12" light bar to the front of your vehicle and boost your lumen output.

PART#	DESCRIPTION	
9892320	10" Bracket Only	
9892313	6" Bracket Only	



TOW HITCH MOUNT | KITS

The Vision X 11.5" backup light receiver adapter uses machined 6061 aluminum and will fit over any Class 3 or 4 (2") tow hitch.

PART#	DESCRIPTION
4000322	Tow Hitch Mount Bracket Only
4008595	Tow Hitch Mount With 2x Solstice Solo



TUBE CLAMP | MOUNTS

PART#	DESCRIPTION	PART
9897325	0.75" Tube Clamp Pair	98933
9897301	1.0" Tube Clamp Pair	98933
9897288	1.25" Tube Clamp Pair	98933
9897264	1.50" Tube Clamp Pair	98934
9897240	1.75" Tube Clamp Pair	

PART#	DESCRIPTION	
9893372	2.0" Tube Clamp Pair	
9893389	2.25" Tube Clamp Pair	
9893396	2.50" Tube Clamp Pair	
9893402	3.00" Tube Clamp Pair	





FLUSH MOUNT | KITS

PART#	DESCRIPTION
9933115	Dura Mini Flood Beam Flush Kit (Pair)
9933108	Dura M4M Combo Beam Flush Kit (Pair)
9892993	Dura 4 Flood Beam Flush Mount
9893006	Dura 6 Flood Beam Flush Mount



LIGHT BAR END CAP | MOUNTS

Using End Cap Mounts allow you to mount your light bar in tight spots where standard mounting won't cut it. Ideal for Roof, Bumper and Grill locations.

PART#	DESCRIPTION	
9892917	Light Bar End Cap Mounts For XPR & XPR-S	



SECURITY | HARDWARE

Security hardware helps protect your lights against theft by only allowing the use of the unique key tool that is supplied with each set.

All Security Hardware comes with 2 Security Nuts Or Bolts and 1 key tool.

SECURITY BOLTS

PART#	SIZE	APPLICATION
9893440	M6 X 15	4.7" CG2, XPR, XPR-S, Shocker
9893457	M6 X 20	4.7" CG2
9893419	M8 X 15	6.7" CG2, CG2 Mini Cannon, Dura 4 & 6, Optimus, VL-Driving, XPL, Chaser
9893426	M8 X 20	XPL, ADV
9893433	M8 X 25	8.7" CG2, ADV, Shocker, Unite, XPR/ XPR-S

SECURITY NUTS

PART#	SIZE	APPLICATION
9897349	M6	Dura Mini, XPR/XPR-S
9893488	M8	CG2 Mini Cannons, Optimus, Dura 4, Shocker, Unite Light Bar, XPL, XPR/XPR-S
9893471	M10	4.7" & 6.7" CG2, 6.7" ADV, 6.7" VL-Driving, Optimus Dual, Dura 6
9893464	M12	8.7" CG2, 8.7" ADV, 8.7" VL-Driving





VISIONXOFFROAD.COM

VISION X HEADQUARTERS 1601 Boundary Blvd Auburn WA, USA 98001 P: (888) 489-9820 | info@visionxusa.com

VISION X visionxlighting.com

INDUSTRIAL vxindustrial.com

STRUCTURAL vxstructural.com

MARITIME vxmaritime.com

COPYRIGHT 2022 VISION X LIGHTING

